

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051719\
 Data File : VU032116.D
 Acq On : 17 May 2019 21:32
 Operator : JC/SP
 Sample : K2850-06DL 20X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9W06DL

Quant Time: May 18 05:30:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR051619WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat May 18 04:08:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	375999	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	377442	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	151107	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	121466	3.83	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	76.60%
7) Chloroethane-d5	1.68	69	102906	3.80	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	76.00%
11) 1,1-Dichloroethene-d2	2.27	63	170197	3.37	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	67.40%
20) 2-Butanone-d5	4.20	46	272118	43.76	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	87.52%
24) Chloroform-d	4.64	84	233489	4.19	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.80%
26) 1,2-Dichloroethane-d4	5.31	65	123227	4.29	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.80%
32) Benzene-d6	5.33	84	466136	4.05	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.00%
36) 1,2-Dichloropropane-d6	6.33	67	140344	4.17	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	83.40%
41) Toluene-d8	7.56	98	385783	3.80	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	76.00%
43) trans-1,3-Dichloropropene-	7.85	79	47926	3.96	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.20%
46) 2-Hexanone-d5	8.31	63	230493	42.13	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.26%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	127352	4.63	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	92.60%
64) 1,2-Dichlorobenzene-d4	11.86	152	148006	4.62	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.40%

Target Compounds					Ovalue
17) Methyl tert-butyl Ether	3.00	73	480063	13.523 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU051719\
Data File : VU032116.D
Acq On : 17 May 2019 21:32
Operator : JC/SP
Sample : K2850-06DL 20X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9W06DL

Quant Time: May 18 05:30:56 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR051619WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat May 18 04:08:35 2019
Response via : Initial Calibration

