

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051719\
 Data File : VU032108.D
 Acq On : 17 May 2019 18:12
 Operator : JC/SP
 Sample : K2850-09DL 4X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9W09DL

Quant Time: May 18 05:07:53 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR051619WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat May 18 04:08:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	369361	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	370590	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	150485	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	122085	3.92	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	78.40%
7) Chloroethane-d5	1.68	69	102189	3.84	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	76.80%
11) 1,1-Dichloroethene-d2	2.27	63	172467	3.48	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.60%
20) 2-Butanone-d5	4.20	46	278128	45.53	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	91.06%
24) Chloroform-d	4.64	84	234624	4.29	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.80%
26) 1,2-Dichloroethane-d4	5.31	65	120349	4.26	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.20%
32) Benzene-d6	5.33	84	474145	4.19	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.80%
36) 1,2-Dichloropropane-d6	6.33	67	138852	4.20	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	84.00%
41) Toluene-d8	7.56	98	386407	3.88	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.60%
43) trans-1,3-Dichloropropene-	7.85	79	47632	4.00	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.00%
46) 2-Hexanone-d5	8.31	63	242318	45.11	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	90.22%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	126070	4.67	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.40%
64) 1,2-Dichlorobenzene-d4	11.86	152	147775	4.63	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.60%


Target Compounds					Ovalue
13) Acetone	2.34	43	5889	2.937 ug/L	96
17) Methyl tert-butyl Ether	3.00	73	180405	5.173 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU051719\
Data File : VU032108.D
Acq On : 17 May 2019 18:12
Operator : JC/SP
Sample : K2850-09DL 4X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9W09DL

Quant Time: May 18 05:07:53 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR051619WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat May 18 04:08:35 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.937 ug/L

RT: 2.34 min Scan# 389

Delta R.T. 0.01 min

Lab File: VU032108.D

Acq: 17 May 2019 18:12

Instrument :

MSVOA_U

ClientSampled :





F9W09DL

Tot Ion: 43 Resp: 5889

Ion Ratio Lower Upper

43 100

58 36.9 0.0 78.8



#17

Methyl tert-butyl Ether

Concen: 5.173 ug/L

RT: 3.00 min Scan# 595

Delta R.T. 0.00 min

Lab File: VU032108.D

Acq: 17 May 2019 18:12

Tgt Ion: 73 Resp: 180405

Ion Ratio Lower Upper

73 100

43 15.9 13.0 19.6

57 19.7 17.9 26.9

