

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051722\
 Data File : VU048603.D
 Acq On : 17 May 2022 16:45
 Operator : SY/MD
 Sample : N2849-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM051622WMA.M

Title : VOC Analysis

Signal : TIC: VU048603.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.600	74	81	98	rVB	89062	101089	11.06%	1.373%
2	2.568	370	382	400	rBV	189492	305649	33.43%	4.151%
3	2.649	405	407	409	rBV2	338	144	0.02%	0.002%
4	2.732	431	433	436	rBV	169	148	0.02%	0.002%
5	2.877	475	478	480	rBB	253	147	0.02%	0.002%
6	2.909	486	488	490	rBV	204	125	0.01%	0.002%
7	3.002	513	517	519	rBV2	271	223	0.02%	0.003%
8	3.041	524	529	539	rVB3	786	1291	0.14%	0.018%
9	3.092	544	545	550	rBB	258	170	0.02%	0.002%
10	3.115	550	552	554	rBV	124	89	0.01%	0.001%
11	3.186	561	574	588	rBV	5288	10810	1.18%	0.147%
12	3.301	608	610	613	rBB	128	91	0.01%	0.001%
13	3.334	617	620	622	rBV	206	149	0.02%	0.002%
14	3.369	629	631	635	rBB	211	138	0.02%	0.002%
15	3.424	644	648	651	rBB	153	154	0.02%	0.002%
16	3.616	704	708	709	rBV	138	96	0.01%	0.001%
17	3.867	783	786	787	rBV	135	97	0.01%	0.001%
18	4.073	847	850	852	rBV	152	127	0.01%	0.002%
19	4.108	859	861	863	rBV	152	108	0.01%	0.001%
20	4.189	884	886	889	rBB	141	95	0.01%	0.001%
21	4.459	967	970	973	rBB	179	139	0.02%	0.002%
22	4.549	996	998	1000	rBV	192	124	0.01%	0.002%
23	4.620	1008	1020	1041	rBV	90853	217359	23.77%	2.952%
24	4.912	1108	1111	1115	rVB	333	225	0.02%	0.003%
25	4.935	1116	1118	1120	rBV	271	148	0.02%	0.002%
26	4.986	1130	1134	1137	rBB2	285	243	0.03%	0.003%
27	5.009	1137	1141	1142	rBB	230	131	0.01%	0.002%
28	5.067	1143	1159	1177	rBV	180497	392871	42.97%	5.336%
29	5.253	1215	1217	1220	rBB	167	102	0.01%	0.001%
30	5.308	1231	1234	1238	rBB	199	169	0.02%	0.002%
31	5.539	1304	1306	1308	rBB	173	87	0.01%	0.001%
32	5.600	1318	1325	1328	rBV	266	334	0.04%	0.005%
33	5.726	1343	1364	1387	rBV2	327951	914392	100.00%	12.420%
34	5.935	1426	1429	1433	rBB2	378	227	0.02%	0.003%
35	5.960	1434	1437	1438	rBV	432	290	0.03%	0.004%
36	6.038	1457	1461	1463	rBV	273	234	0.03%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051722\
 Data File : VU048603.D
 Acq On : 17 May 2022 16:45
 Operator : SY/MD
 Sample : N2849-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM051622WMA.M
 Title : VOC Analysis

37	6.128	1486	1489	1496	rBB3	356	361	0.04%	0.005%
38	6.250	1513	1527	1550	rBV	289417	551894	60.36%	7.496%
39	6.533	1606	1615	1625	rBB5	4067	7209	0.79%	0.098%
40	6.581	1628	1630	1632	rBV	133	99	0.01%	0.001%
41	6.613	1638	1640	1642	rBB	293	132	0.01%	0.002%
42	6.694	1651	1665	1684	rBV	206800	399342	43.67%	5.424%
43	6.806	1696	1700	1703	rBV3	398	297	0.03%	0.004%
44	6.925	1735	1737	1738	rBB3	244	92	0.01%	0.001%
45	6.941	1739	1742	1748	rBB	355	319	0.03%	0.004%
46	6.986	1754	1756	1760	rBV	251	180	0.02%	0.002%
47	7.124	1795	1799	1803	rBB	171	195	0.02%	0.003%
48	7.144	1803	1805	1808	rBB	136	97	0.01%	0.001%
49	7.185	1809	1818	1819	rBV3	918	1008	0.11%	0.014%
50	7.298	1847	1853	1855	rBV	199	228	0.02%	0.003%
51	7.346	1866	1868	1872	rBB	158	105	0.01%	0.001%
52	7.372	1873	1876	1878	rBB	192	121	0.01%	0.002%
53	7.404	1884	1886	1888	rBB	168	84	0.01%	0.001%
54	7.568	1923	1937	1956	rBV	124858	219414	24.00%	2.980%
55	7.687	1971	1974	1975	rBV	445	258	0.03%	0.004%
56	7.726	1984	1986	1989	rBV	147	123	0.01%	0.002%
57	7.771	1996	2000	2002	rBV	188	179	0.02%	0.002%
58	7.803	2007	2010	2011	rBV	345	176	0.02%	0.002%
59	7.838	2018	2021	2023	rBB	130	90	0.01%	0.001%
60	7.899	2027	2040	2056	rBV	441129	750129	82.04%	10.189%
61	8.182	2113	2128	2145	rBV	92044	156757	17.14%	2.129%
62	8.449	2205	2211	2213	rBV2	382	307	0.03%	0.004%
63	8.539	2237	2239	2241	rBV	365	171	0.02%	0.002%
64	8.632	2256	2268	2295	rBV	270195	489609	53.54%	6.650%
65	8.886	2343	2347	2351	rVB2	319	339	0.04%	0.005%
66	8.912	2354	2355	2358	rBV	243	153	0.02%	0.002%
67	8.944	2362	2365	2367	rBV2	448	341	0.04%	0.005%
68	8.970	2371	2373	2374	rVB	250	94	0.01%	0.001%
69	8.989	2375	2379	2380	rBV	230	116	0.01%	0.002%
70	9.018	2386	2388	2392	rBB	171	135	0.01%	0.002%
71	9.044	2393	2396	2397	rBV	123	90	0.01%	0.001%
72	9.073	2404	2405	2408	rBV	223	124	0.01%	0.002%
73	9.124	2418	2421	2426	rBB	162	176	0.02%	0.002%
74	9.150	2426	2429	2430	rBB	246	97	0.01%	0.001%
75	9.163	2431	2433	2435	rBV	138	93	0.01%	0.001%
76	9.192	2440	2442	2445	rBB	156	102	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051722\
 Data File : VU048603.D
 Acq On : 17 May 2022 16:45
 Operator : SY/MD
 Sample : N2849-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM051622WMA.M
 Title : VOC Analysis




77	9.250	2457	2460	2461	rBV	197	132	0.01%	0.002%
78	9.301	2474	2476	2479	rBB	174	110	0.01%	0.001%
79	9.317	2479	2481	2488	rBB	229	220	0.02%	0.003%
80	9.346	2488	2490	2491	rBV	232	92	0.01%	0.001%
81	9.372	2496	2498	2500	rBV	159	112	0.01%	0.002%
82	9.420	2500	2513	2534	rBV	428563	706116	77.22%	9.591%
83	9.851	2644	2647	2649	rBB	125	90	0.01%	0.001%
84	9.989	2687	2690	2691	rBV	155	111	0.01%	0.002%
85	10.018	2697	2699	2700	rBV	228	97	0.01%	0.001%
86	10.102	2723	2725	2728	rBV	303	126	0.01%	0.002%
87	10.182	2748	2750	2752	rBV	154	101	0.01%	0.001%
88	10.234	2764	2766	2768	rBV	148	97	0.01%	0.001%
89	10.314	2787	2791	2794	rBB	190	167	0.02%	0.002%
90	10.330	2794	2796	2800	rBB	344	208	0.02%	0.003%
91	10.356	2801	2804	2807	rBV	196	185	0.02%	0.003%
92	10.565	2866	2869	2871	rBV	218	180	0.02%	0.002%
93	10.758	2917	2929	2948	rVB	312398	508548	55.62%	6.907%
94	10.851	2954	2958	2959	rBV	203	152	0.02%	0.002%
95	10.935	2982	2984	2986	rBV	311	201	0.02%	0.003%
96	11.816	3246	3258	3275	rBV	494764	804155	87.94%	10.922%
97	12.195	3363	3376	3395	rBV	498636	810801	88.67%	11.013%
98	12.539	3480	3483	3487	rBV2	898	636	0.07%	0.009%
99	12.632	3510	3512	3515	rBV	363	198	0.02%	0.003%
100	12.652	3515	3518	3523	rVB3	920	751	0.08%	0.010%

Sum of corrected areas: 7362437

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051722\
Data File : VU048603.D
Acq On : 17 May 2022 16:45
Operator : SY/MD
Sample : N2849-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM051622WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051722\
Data File : VU048603.D
Acq On : 17 May 2022 16:45
Operator : SY/MD
Sample : N2849-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM051622WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051722\
Data File : VU048603.D
Acq On : 17 May 2022 16:45
Operator : SY/MD
Sample : N2849-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM051622WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
