

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051823\
 Data File : VU054202.D
 Acq On : 19 May 2023 06:57
 Operator : JC/MD
 Sample : 02843-13
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GBWY7

Quant Time: May 19 09:23:06 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR051823WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri May 19 04:28:00 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.243	114	186048	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.411	117	174834	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.806	152	87187	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	42254	4.213	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	84.200%	
7) Chloroethane-d5	1.912	69	32532	4.335	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	86.800%	
11) 1,1-Dichloroethene-d2	2.565	65	19665	4.341	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	86.800%	
20) 2-Butanone-d5	4.629	46	81726	45.689	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	91.380%	
24) Chloroform-d	5.057	84	78180	4.146	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	83.000%	
26) 1,2-Dichloroethane-d4	5.697	65	38333	4.418	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	88.400%	
32) Benzene-d6	5.723	84	158139	4.442	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	88.800%	
36) 1,2-Dichloropropane-d6	6.684	67	47089	4.576	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	91.600%	
41) Toluene-d8	7.893	98	136057	4.047	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	81.000%	
43) trans-1,3-Dichloroprop...	8.176	79	16158	3.887	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	77.800%	
46) 2-Hexanone-d5	8.629	63	57922	46.802	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	93.600%	
56) 1,1,2,2-Tetrachloroeth...	10.751	84	32469	4.402	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	88.000%	
66) 1,2-Dichlorobenzene-d4	12.189	152	49712	4.673	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	93.400%	
Target Compounds						Qvalue
17) Methyl tert-butyl Ether	3.359	73	12528	0.437	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051823\
Data File : VU054202.D
Acq On : 19 May 2023 06:57
Operator : JC/MD
Sample : 02843-13
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 51 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GBWY7

Quant Time: May 19 09:23:06 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR051823WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri May 19 04:28:00 2023
Response via : Initial Calibration

