

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051922\
 Data File : VU048637.D
 Acq On : 19 May 2022 18:03
 Operator : SY/MD
 Sample : N2883-07ME
 Misc : 5.79g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EW4K7ME

Quant Time: May 20 04:42:26 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM051622WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri May 20 04:37:51 2022
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By : John Carlone 05/24/2022
 Supervised By : Mahesh Dadoda 05/24/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	279849	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	282436	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.816	152	168961	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	66738	38.936	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	77.880%		
7) Chloroethane-d5	1.874	69	60165m	46.852	ug/L	-0.04
Spiked Amount 50.000	Range 70 - 130		Recovery =	93.700%		
11) 1,1-Dichloroethene-d2	2.539	63	117780	30.384	ug/L	-0.03
Spiked Amount 50.000	Range 60 - 125		Recovery =	60.760%		
21) 2-Butanone-d5	4.629	46	147227	90.260	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	90.260%		
24) Chloroform-d	5.060	84	193091	44.579	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	89.160%		
26) 1,2-Dichloroethane-d4	5.697	65	142832	46.742	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.480%		
32) Benzene-d6	5.719	84	341012	43.384	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	86.760%		
36) 1,2-Dichloropropane-d6	6.690	67	102811	44.554	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	89.100%		
41) Toluene-d8	7.896	98	327438	44.287	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	88.580%		
43) trans-1,3-Dichloroprop...	8.182	79	62635	42.447	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	84.900%		
47) 2-Hexanone-d5	8.652	63	129060	101.983	ug/L	0.02
Spiked Amount 100.000	Range 45 - 130		Recovery =	101.980%		
56) 1,1,2,2-Tetrachloroeth...	10.764	84	181264	47.471	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	94.940%		
66) 1,2-Dichlorobenzene-d4	12.195	152	163351	47.293	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	94.580%		
Target Compounds					Qvalue	
22) 2-Butanone	4.713	43	13478	8.010	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051922\
Data File : VU048637.D
Acq On : 19 May 2022 18:03
Operator : SY/MD
Sample : N2883-07ME
Misc : 5.79g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 17 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
EW4K7ME

Quant Time: May 20 04:42:26 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM051622WMA.M
Quant Title : VOC Analysis
QLast Update : Fri May 20 04:37:51 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : John Carlone 05/24/2022
Supervised By : Mahesh Dadoda 05/24/2022





2-Butanone
 Concen: 8.010 ug/L
 RT: 4.713 min Scan# 1049
 Delta R.T. 0.013 min
 Lab File: VU048637.D
 Acq: 19 May 2022 18:03

Instrument :
 MSVOA_U
 ClientSampleId :
 EW4K7ME

Tgt Ion: 43 Resp: 13478
 Ion Ratio Lower Upper
 43 100
 72 30.7 15.4 46.2

Manual Integrations
 APPROVED

Reviewed By :John Carlone 05/24/2022
 Supervised By :Mahesh Dadoda 05/24/2022

