

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051923\
 Data File : VU054226.D
 Acq On : 19 May 2023 17:53
 Operator : JC/MD
 Sample : 02843-03
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampleId :
 GBWX9

Quant Time: May 20 02:10:40 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR051823WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat May 20 02:06:23 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.243	114	182649	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.414	117	173362	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.809	152	84938	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	42867	4.353	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery =	87.000%		
7) Chloroethane-d5	1.912	69	33089	4.492	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery =	89.800%		
11) 1,1-Dichloroethene-d2	2.562	65	19929	4.481	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery =	89.600%		
20) 2-Butanone-d5	4.629	46	82623	47.050	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery =	94.100%		
24) Chloroform-d	5.057	84	79758	4.308	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery =	86.200%		
26) 1,2-Dichloroethane-d4	5.697	65	39174	4.599	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery =	92.000%		
32) Benzene-d6	5.723	84	159285	4.512	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery =	90.200%		
36) 1,2-Dichloropropane-d6	6.684	67	48548	4.758	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery =	95.200%		
41) Toluene-d8	7.893	98	140007	4.200	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery =	84.000%		
43) trans-1,3-Dichloroprop...	8.176	79	17598	4.270	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery =	85.400%		
46) 2-Hexanone-d5	8.629	63	60844	49.581	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery =	99.160%		
56) 1,1,2,2-Tetrachloroeth...	10.751	84	35184	4.810	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery =	96.200%		
66) 1,2-Dichlorobenzene-d4	12.189	152	49880	4.812	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery =	96.200%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051923\
 Data File : VU054226.D
 Acq On : 19 May 2023 17:53
 Operator : JC/MD
 Sample : 02843-03
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GBWX9

Quant Time: May 20 02:10:40 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR051823WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat May 20 02:06:23 2023
 Response via : Initial Calibration

