

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052019\
 Data File : VU032172.D
 Acq On : 20 May 2019 22:23
 Operator : JC/SP
 Sample : K2889-08
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BM5

Quant Time: May 21 09:31:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR051619WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue May 21 08:29:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	351510	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	357436	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	141529	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	97263	3.28	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	65.60%
7) Chloroethane-d5	1.68	69	88567	3.50	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	70.00%
11) 1,1-Dichloroethene-d2	2.27	63	140020	2.97	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.40%#
20) 2-Butanone-d5	4.20	46	237050	40.78	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	81.56%
24) Chloroform-d	4.64	84	208279	4.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.00%
26) 1,2-Dichloroethane-d4	5.31	65	106866	3.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.60%
32) Benzene-d6	5.33	84	411225	3.77	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	75.40%
36) 1,2-Dichloropropane-d6	6.33	67	124097	3.89	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	77.80%
41) Toluene-d8	7.56	98	323327	3.37	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	67.40%#
43) trans-1,3-Dichloropropene-	7.85	79	41307	3.60	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	72.00%
46) 2-Hexanone-d5	8.31	63	211506	40.82	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	81.64%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	109508	4.20	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	84.00%
64) 1,2-Dichlorobenzene-d4	11.86	152	131489	4.38	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	87.60%

Target Compounds					Ovalue
13) Acetone	2.33	43	6834	3.581 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052019\
Data File : VU032172.D
Acq On : 20 May 2019 22:23
Operator : JC/SP
Sample : K2889-08
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BM5

Quant Time: May 21 09:31:58 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR051619WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue May 21 08:29:49 2019
Response via : Initial Calibration

