

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052019\
 Data File : VU032173.D
 Acq On : 20 May 2019 22:48
 Operator : JC/SP
 Sample : K2889-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BM6

Quant Time: May 21 09:34:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR051619WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue May 21 08:29:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	343175	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	341384	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	123889	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	94877	3.28	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	65.60%
7) Chloroethane-d5	1.68	69	86908	3.52	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	70.40%
11) 1,1-Dichloroethene-d2	2.27	63	135589	2.94	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.80%#
20) 2-Butanone-d5	4.21	46	231230	40.74	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	81.48%
24) Chloroform-d	4.64	84	206914	4.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.40%
26) 1,2-Dichloroethane-d4	5.31	65	103791	3.96	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.20%
32) Benzene-d6	5.33	84	400044	3.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	76.80%
36) 1,2-Dichloropropane-d6	6.33	67	117755	3.87	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	77.40%
41) Toluene-d8	7.56	98	324217	3.53	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	70.60%
43) trans-1,3-Dichloropropene-	7.85	79	39561	3.61	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	72.20%
46) 2-Hexanone-d5	8.31	63	207550	41.94	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	83.88%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	104326	4.19	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	83.80%
64) 1,2-Dichlorobenzene-d4	11.86	152	112905	4.30	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	86.00%


Target Compounds					Ovalue
13) Acetone	2.34	43	12459	6.687 ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052019\
Data File : VU032173.D
Acq On : 20 May 2019 22:48
Operator : JC/SP
Sample : K2889-09
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BM6

Quant Time: May 21 09:34:41 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR051619WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue May 21 08:29:49 2019
Response via : Initial Calibration





#13

Acetone

Concen: 6.687 ug/L

RT: 2.34 min Scan# 388

Delta R.T. -0.00 min

Lab File: VU032173.D

Acq: 20 May 2019 22:48

Instrument :
MSVOA_U
ClientSampleId :
C0BM6

Tot Ion: 43 Resp: 12459

Ion Ratio Lower Upper

43 100

58 46.4 0.0 78.8

