

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052019\
 Data File : VU032176.D
 Acq On : 21 May 2019 00:02
 Operator : JC/SP
 Sample : K2889-12
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BM9

Quant Time: May 21 09:31:55 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR051619WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue May 21 08:29:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	352785	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	357647	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	142468	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	94221	3.17	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	63.40%
7) Chloroethane-d5	1.68	69	84274	3.32	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	66.40%
11) 1,1-Dichloroethene-d2	2.27	63	138612	2.93	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.60%#
20) 2-Butanone-d5	4.20	46	247240	42.38	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	84.76%
24) Chloroform-d	4.64	84	208757	4.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.00%
26) 1,2-Dichloroethane-d4	5.31	65	104402	3.87	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.40%
32) Benzene-d6	5.33	84	396186	3.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	72.60%
36) 1,2-Dichloropropane-d6	6.33	67	121219	3.80	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	76.00%
41) Toluene-d8	7.56	98	328325	3.42	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	68.40%#
43) trans-1,3-Dichloropropene-	7.85	79	40909	3.56	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	71.20%
46) 2-Hexanone-d5	8.31	63	212818	41.05	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	82.10%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	112785	4.33	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.60%
64) 1,2-Dichlorobenzene-d4	11.86	152	132920	4.40	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	88.00%


Target Compounds					Ovalue
13) Acetone	2.34	43	8028	4.191 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052019\
Data File : VU032176.D
Acq On : 21 May 2019 00:02
Operator : JC/SP
Sample : K2889-12
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BM9

Quant Time: May 21 09:31:55 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR051619WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue May 21 08:29:49 2019
Response via : Initial Calibration





#13

Acetone

Concen: 4.191 ug/L

RT: 2.34 min Scan# 388

Delta R.T. -0.00 min

Lab File: VU032176.D

Acq: 21 May 2019 00:02

Instrument :
MSVOA_U
ClientSampleId :
C0BM9

Tot Ion: 43 Resp: 8028

Ion Ratio Lower Upper

43 100

58 36.5 0.0 78.8

