

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052020\
 Data File : VU038242.D
 Acq On : 20 May 2020 12:54
 Operator : JC/MD
 Sample : L2724-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BE4S8

Manual Integrations
 APPROVED

MMDadoda
 5/22/2020 10:52:34 AM

Quant Time: May 21 01:35:24 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu May 21 01:14:05 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	404385	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	386165	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	178805	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	100203	2.71	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	54.20%
7) Chloroethane-d5	1.93	69	98316	3.07	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	61.40%#
11) 1,1-Dichloroethene-d2	2.58	63	128677	2.08	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	41.60%#
20) 2-Butanone-d5	4.68	46	411211	45.06	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	90.12%
24) Chloroform-d	5.10	84	199056	3.55	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	71.00%
26) 1,2-Dichloroethane-d4	5.74	65	125647	3.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	78.20%
32) Benzene-d6	5.76	84	390514	3.37	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	67.40%#
36) 1,2-Dichloropropane-d6	6.72	67	137781	3.69	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	73.80%
41) Toluene-d8	7.92	98	326174	3.14	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	62.80%#
43) trans-1,3-Dichloropropene-	8.20	79	50817	3.40	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	68.00%
46) 2-Hexanone-d5	8.66	63	301039	42.61	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.22%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	116787	3.96	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	79.20%
64) 1,2-Dichlorobenzene-d4	12.21	152	131363	3.77	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	75.40%#

Target Compounds				Ovalue
13) Acetone	2.69	43	22889m	3.998 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052020\
Data File : VU038242.D
Acq On : 20 May 2020 12:54
Operator : JC/MD
Sample : L2724-01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1




Instrument :
MSVOA_U
ClientSampleId :
BE4S8

Manual Integrations
APPROVED

MMDadoda
5/22/2020 10:52:34 AM

Quant Time: May 21 01:35:24 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu May 21 01:14:05 2020
Response via : Initial Calibration





#13

Acetone

Concen: 3.998 ug/L m

RT: 2.69 min Scan# 420

Delta R.T. 0.03 min

Lab File: VU038242.D

Acq: 20 May 2020 12:54

Tot Ion: 43 Resp: 22889

Ion Ratio Lower Upper

43 100

58 11.3 0.0 63.6

Instrument :

MSVOA_U

ClientSampleId :

BE4S8

Manual Integrations

APPROVED

MMDadoda

5/22/2020 10:52:34 AM

