

Data Path : W:\HPCHEM1\MSVOA_U\DATA\VU052118\
 Data File : VU023964.D
 Acq On : 21 May 2018 11:17
 Operator : MD/SY
 Sample : VU0521WBL01
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: May 22 01:05:45 2018
 Quant Method : W:\HPCHEM1\MSVOA_U\METHOD\SOMULM051218WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue May 22 01:05:00 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	303418	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	298507	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	139208	50.00	ug/L	0.00

System Monitoring Compounds


4) Vinyl Chloride-d3	1.40	65	102754	36.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	72.88%
7) Chloroethane-d5	1.68	69	91799	41.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	82.64%
11) 1,1-Dichloroethene-d2	2.27	63	160383	31.00	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.00%
21) 2-Butanone-d5	4.18	46	188013	95.82	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	95.82%
24) Chloroform-d	4.65	84	202820	47.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.26%
26) 1,2-Dichloroethane-d4	5.31	65	139831	49.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.78%
32) Benzene-d6	5.35	84	405645	46.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.10%
36) 1,2-Dichloropropane-d6	6.33	67	140619	47.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.56%
41) Toluene-d8	7.57	98	361214	44.99	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.98%
43) trans-1,3-Dichloropropene-	7.85	79	57341	46.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.64%
47) 2-Hexanone-d5	8.31	63	130924	96.50	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.50%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	197435	47.63	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.26%
64) 1,2-Dichlorobenzene-d4	11.86	152	150156	49.94	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.88%


Target Compounds						Qvalue
59) 1,2,3-Trichloropropane	11.49	75	17730	4.70	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA_U\DATA\VU052118\
Data File : VU023964.D
Acq On : 21 May 2018 11:17
Operator : MD/SY
Sample : VU0521WBL01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 3 Sample Multiplier: 1

Quant Time: May 22 01:05:45 2018
Quant Method : W:\HPCHEM1\MSVOA_U\METHOD\SOMULM051218WMA.M
Quant Title : VOC Analysis
QLast Update : Tue May 22 01:05:00 2018
Response via : Initial Calibration





#59

1,2,3-Trichloropropane

Concen: 4.70 ug/L

RT: 11.49 min Scan# 3389

Delta R.T. 0.99 min

Lab File: VU023964.D


Acq: 21 May 2018 11:17

Tgt Ion: 75 Resp: 17730

Ion Ratio Lower Upper

75 100

77 37.2 26.2 39.4



Abundance Ion 75.00 (74.70 to 75.70): VU0

Ion 77.00 (76.70 to 77.70): VU0

