

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052119\
 Data File : VU032200.D
 Acq On : 21 May 2019 15:21
 Operator : JC/SP
 Sample : K2862-08
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHJ3

Quant Time: May 22 03:39:26 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 22 02:08:11 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	800417	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	805312	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	324721	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	263268	50.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	100.86%
7) Chloroethane-d5	1.67	69	223373	49.10	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.20%
11) 1,1-Dichloroethene-d2	2.27	63	370844	37.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.60%
21) 2-Butanone-d5	4.17	46	418634	129.96	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	129.96%
24) Chloroform-d	4.64	84	509873	49.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.12%
26) 1,2-Dichloroethane-d4	5.30	65	316764	52.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.32%
32) Benzene-d6	5.33	84	1079737	51.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.16%
36) 1,2-Dichloropropane-d6	6.32	67	317907	52.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.20%
41) Toluene-d8	7.56	98	980344	49.42	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.84%
43) trans-1,3-Dichloropropene-	7.85	79	138011	46.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.54%
47) 2-Hexanone-d5	8.31	63	330727	120.62	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	120.62%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	502718	51.41	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.82%
64) 1,2-Dichlorobenzene-d4	11.86	152	368616	54.28	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.56%

Target Compounds					Ovalue
13) Acetone	2.32	43	9139	2.786 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052119\
Data File : VU032200.D
Acq On : 21 May 2019 15:21
Operator : JC/SP
Sample : K2862-08
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFHJ3

Quant Time: May 22 03:39:26 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052119WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 22 02:08:11 2019
Response via : Initial Calibration

