

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052119\
 Data File : VU032201.D
 Acq On : 21 May 2019 15:45
 Operator : JC/SP
 Sample : K2862-11
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHJ4

Quant Time: May 22 03:44:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 22 02:08:11 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	803591	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	793810	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	333549	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	265342	50.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	101.24%
7) Chloroethane-d5	1.67	69	233728	51.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	102.34%
11) 1,1-Dichloroethene-d2	2.27	63	385340	38.61	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.22%
21) 2-Butanone-d5	4.17	46	332257	102.73	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.73%
24) Chloroform-d	4.64	84	511471	49.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.04%
26) 1,2-Dichloroethane-d4	5.31	65	314401	51.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.14%
32) Benzene-d6	5.34	84	1089777	52.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.62%
36) 1,2-Dichloropropane-d6	6.32	67	312843	52.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.02%
41) Toluene-d8	7.56	98	997683	51.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.04%
43) trans-1,3-Dichloropropene-	7.85	79	140445	47.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.54%
47) 2-Hexanone-d5	8.31	63	251692	93.12	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	93.12%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	473629	49.14	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.28%
64) 1,2-Dichlorobenzene-d4	11.85	152	373420	53.53	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.06%


Target Compounds					Ovalue
13) Acetone	2.32	43	8835	2.683 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052119\
Data File : VU032201.D
Acq On : 21 May 2019 15:45
Operator : JC/SP
Sample : K2862-11
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFHJ4

Quant Time: May 22 03:44:11 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052119WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 22 02:08:11 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.683 ug/L
 RT: 2.32 min Scan# 383
 Delta R.T. 0.00 min
 Lab File: VU032201.D
 Acq: 21 May 2019 15:45

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHJ4

Tot Ion: 43 Resp: 8835
 Ion Ratio Lower Upper
 43 100
 58 38.8 0.0 76.8

