

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052119\
 Data File : VU032205.D
 Acq On : 21 May 2019 17:43
 Operator : JC/SP
 Sample : K2862-06
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHK6

Quant Time: May 22 04:03:30 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 22 02:08:11 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	776738	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	779556	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	324939	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	261075	51.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	103.06%
7) Chloroethane-d5	1.67	69	229977	52.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	104.18%
11) 1,1-Dichloroethene-d2	2.27	63	372006	38.56	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.12%
21) 2-Butanone-d5	4.17	46	323656	103.53	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.53%
24) Chloroform-d	4.64	84	507946	50.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.76%
26) 1,2-Dichloroethane-d4	5.30	65	311756	52.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.80%
32) Benzene-d6	5.33	84	1072573	52.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.86%
36) 1,2-Dichloropropane-d6	6.32	67	316083	54.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	108.04%
41) Toluene-d8	7.56	98	974198	50.73	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.46%
43) trans-1,3-Dichloropropene-	7.85	79	136765	47.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.74%
47) 2-Hexanone-d5	8.31	63	249011	93.82	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	93.82%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	465342	49.16	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.32%
64) 1,2-Dichlorobenzene-d4	11.85	152	375817	55.30	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.60%


Target Compounds				Ovalue
13) Acetone	2.32	43	7688	2.415 ug/L 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052119\
Data File : VU032205.D
Acq On : 21 May 2019 17:43
Operator : JC/SP
Sample : K2862-06
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFHK6

Quant Time: May 22 04:03:30 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052119WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 22 02:08:11 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.415 ug/L
 RT: 2.32 min Scan# 383
 Delta R.T. 0.00 min
 Lab File: VU032205.D
 Acq: 21 May 2019 17:43

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHK6

Tot Ion: 43 Resp: 7688
 Ion Ratio Lower Upper
 43 100
 58 34.4 0.0 76.8

