

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052119\
 Data File : VU032206.D
 Acq On : 21 May 2019 18:07
 Operator : JC/SP
 Sample : K2862-07
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHK8

Quant Time: May 22 04:05:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 22 02:08:11 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	779679	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	786983	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	336184	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	262111	51.54	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	103.08%
7) Chloroethane-d5	1.67	69	230645	52.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	104.08%
11) 1,1-Dichloroethene-d2	2.27	63	371064	38.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.64%
21) 2-Butanone-d5	4.17	46	328661	104.74	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.74%
24) Chloroform-d	4.64	84	509446	50.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.68%
26) 1,2-Dichloroethane-d4	5.31	65	303404	51.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.58%
32) Benzene-d6	5.33	84	1069594	52.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.56%
36) 1,2-Dichloropropane-d6	6.32	67	315889	53.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.96%
41) Toluene-d8	7.56	98	990296	51.08	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.16%
43) trans-1,3-Dichloropropene-	7.85	79	132321	45.40	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.80%
47) 2-Hexanone-d5	8.31	63	246393	91.95	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.95%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	466994	48.87	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.74%
64) 1,2-Dichlorobenzene-d4	11.86	152	379990	54.04	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.08%


Target Compounds					Ovalue
13) Acetone	2.32	43	4092	1.281 ug/L	79


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052119\
Data File : VU032206.D
Acq On : 21 May 2019 18:07
Operator : JC/SP
Sample : K2862-07
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFHK8

Quant Time: May 22 04:05:57 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052119WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 22 02:08:11 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.281 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU032206.D

Acq: 21 May 2019 18:07

Instrument :
MSVOA_U
ClientSampleId :
BFHK8

Tot Ion: 43 Resp: 4092

Ion Ratio Lower Upper

43 100

58 51.0 0.0 76.8

