

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052119\
 Data File : VU032207.D
 Acq On : 21 May 2019 18:30
 Operator : JC/SP
 Sample : K2862-09
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHK7

Quant Time: May 22 04:09:21 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 22 02:08:11 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	791569	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	791598	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	330521	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	256582	49.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	99.40%
7) Chloroethane-d5	1.67	69	225670	50.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.32%
11) 1,1-Dichloroethene-d2	2.27	63	368296	37.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.92%
21) 2-Butanone-d5	4.17	46	326657	102.54	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.54%
24) Chloroform-d	4.64	84	497759	48.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.86%
26) 1,2-Dichloroethane-d4	5.30	65	309428	51.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.04%
32) Benzene-d6	5.33	84	1067516	51.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.76%
36) 1,2-Dichloropropane-d6	6.32	67	311841	52.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.98%
41) Toluene-d8	7.56	98	968576	49.67	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.34%
43) trans-1,3-Dichloropropene-	7.85	79	135645	46.26	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.52%
47) 2-Hexanone-d5	8.31	63	242872	90.11	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.11%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	464765	48.35	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.70%
64) 1,2-Dichlorobenzene-d4	11.86	152	378431	54.74	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	109.48%


Target Compounds					Ovalue
13) Acetone	2.32	43	4142	1.277 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052119\
Data File : VU032207.D
Acq On : 21 May 2019 18:30
Operator : JC/SP
Sample : K2862-09
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFHK7

Quant Time: May 22 04:09:21 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052119WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 22 02:08:11 2019
Response via : Initial Calibration





#13
Acetone
Concen: 1.277 ug/L
RT: 2.32 min Scan# 382
Delta R.T. 0.00 min
Lab File: VU032207.D
Acq: 21 May 2019 18:30

Instrument :
MSVOA_U
ClientSampleId :
BFHK7

Tot Ion: 43 Resp: 4142
Ion Ratio Lower Upper
43 100
58 35.5 0.0 76.8

