

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052119\
 Data File : VU032208.D
 Acq On : 21 May 2019 18:54
 Operator : JC/SP
 Sample : K2862-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHG1

Quant Time: May 22 04:11:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 22 02:08:11 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	783527	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	789897	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	336584	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	261336	51.14	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	102.28%
7) Chloroethane-d5	1.67	69	225725	50.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.36%
11) 1,1-Dichloroethene-d2	2.27	63	371783	38.20	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.40%
21) 2-Butanone-d5	4.17	46	334710	106.14	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.14%
24) Chloroform-d	4.64	84	505493	50.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.40%
26) 1,2-Dichloroethane-d4	5.30	65	313481	52.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.46%
32) Benzene-d6	5.33	84	1076294	52.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.84%
36) 1,2-Dichloropropane-d6	6.32	67	309522	52.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.42%
41) Toluene-d8	7.56	98	968632	49.78	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.56%
43) trans-1,3-Dichloropropene-	7.85	79	139962	47.84	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.68%
47) 2-Hexanone-d5	8.31	63	246572	91.68	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.68%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	470968	49.11	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.22%
64) 1,2-Dichlorobenzene-d4	11.85	152	385537	54.77	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	109.54%


Target Compounds					Ovalue
13) Acetone	2.32	43	5879	1.831 ug/L	73


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052119\
Data File : VU032208.D
Acq On : 21 May 2019 18:54
Operator : JC/SP
Sample : K2862-10
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFHG1

Quant Time: May 22 04:11:41 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052119WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 22 02:08:11 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.831 ug/L

RT: 2.32 min Scan# 382

Delta R.T. 0.00 min

Lab File: VU032208.D

Acq: 21 May 2019 18:54

Instrument :
MSVOA_U
ClientSampleId :
BFHG1

Tot Ion: 43 Resp: 5879

Ion Ratio Lower Upper

43 100

58 21.8 0.0 76.8

