

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052119\
 Data File : VU032209.D
 Acq On : 21 May 2019 19:18
 Operator : JC/SP
 Sample : K2975-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHG2

Quant Time: May 22 04:13:52 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 22 02:08:11 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	818063	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	807014	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	329635	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	267849	50.20	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	100.40%
7) Chloroethane-d5	1.67	69	227808	48.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.98%
11) 1,1-Dichloroethene-d2	2.27	63	376660	37.07	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.14%
21) 2-Butanone-d5	4.17	46	329909	100.20	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.20%
24) Chloroform-d	4.64	84	503831	47.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.84%
26) 1,2-Dichloroethane-d4	5.30	65	320665	51.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.32%
32) Benzene-d6	5.33	84	1090960	52.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.00%
36) 1,2-Dichloropropane-d6	6.32	67	314270	51.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.78%
41) Toluene-d8	7.56	98	980397	49.31	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.62%
43) trans-1,3-Dichloropropene-	7.85	79	139607	46.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.42%
47) 2-Hexanone-d5	8.31	63	251497	91.53	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.53%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	463570	47.31	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.62%
64) 1,2-Dichlorobenzene-d4	11.85	152	375842	54.52	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	109.04%


Target Compounds					Ovalue
13) Acetone	2.32	43	10371	3.094 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052119\
Data File : VU032209.D
Acq On : 21 May 2019 19:18
Operator : JC/SP
Sample : K2975-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFHG2

Quant Time: May 22 04:13:52 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052119WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 22 02:08:11 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.094 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU032209.D

Acq: 21 May 2019 19:18

Instrument :

MSVOA_U

ClientSampleId :

BFHG2

Tot Ion: 43 Resp: 10371

Ion Ratio Lower Upper

43 100

58 35.7 0.0 76.8

