

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052219\
 Data File : VU032227.D
 Acq On : 22 May 2019 17:09
 Operator : JC/SP
 Sample : K2889-06DL 10X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BM3DL

Quant Time: May 23 02:15:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR052219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu May 23 01:46:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	388770	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	402268	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	160930	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	123347	5.65	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	113.00%
7) Chloroethane-d5	1.68	69	100343	4.93	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	98.60%
11) 1,1-Dichloroethene-d2	2.27	63	179467	4.46	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	89.20%
20) 2-Butanone-d5	4.20	46	257927	41.88	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	83.76%
24) Chloroform-d	4.64	84	228513	4.10	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.00%
26) 1,2-Dichloroethane-d4	5.31	65	113753	3.85	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.00%
32) Benzene-d6	5.33	84	475859	4.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.40%
36) 1,2-Dichloropropane-d6	6.33	67	140022	3.78	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	75.60%
41) Toluene-d8	7.56	98	409331	3.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.80%
43) trans-1,3-Dichloropropene-	7.85	79	46960	3.29	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	65.80%
46) 2-Hexanone-d5	8.31	63	218787	40.79	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	81.58%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	107947	2.93	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	58.60%#
64) 1,2-Dichlorobenzene-d4	11.86	152	145523	3.28	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	65.60%#

Target Compounds					Ovalue
47) Tetrachloroethene	8.22	164	110358	9.154 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052219\
Data File : VU032227.D
Acq On : 22 May 2019 17:09
Operator : JC/SP
Sample : K2889-06DL 10X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BM3DL

Quant Time: May 23 02:15:41 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR052219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu May 23 01:46:44 2019
Response via : Initial Calibration

