

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052319\
 Data File : VU032269.D
 Acq On : 23 May 2019 15:15
 Operator : JC/SP
 Sample : K3018-03
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0XJ0

Quant Time: May 24 02:52:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR052219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri May 24 01:34:27 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	360349	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	370372	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	147521	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	98185	4.85	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	97.00%
7) Chloroethane-d5	1.68	69	88381	4.68	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.60%
11) 1,1-Dichloroethene-d2	2.27	63	150859	4.05	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	81.00%
20) 2-Butanone-d5	4.19	46	231481	40.55	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	81.10%
24) Chloroform-d	4.64	84	204694	3.96	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.20%
26) 1,2-Dichloroethane-d4	5.31	65	101011	3.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.80%
32) Benzene-d6	5.33	84	414200	3.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.80%
36) 1,2-Dichloropropane-d6	6.32	67	122575	3.59	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	71.80%
41) Toluene-d8	7.56	98	330258	3.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	64.60%#
43) trans-1,3-Dichloropropene-	7.85	79	41702	3.18	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	63.60%
46) 2-Hexanone-d5	8.31	63	186736	37.81	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	75.62%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	99980	2.95	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	59.00%#
64) 1,2-Dichlorobenzene-d4	11.86	152	125131	3.08	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	61.60%#

Target Compounds					Ovalue
13) Acetone	2.32	43	6796	3.843 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052319\
Data File : VU032269.D
Acq On : 23 May 2019 15:15
Operator : JC/SP
Sample : K3018-03
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0XJ0

Quant Time: May 24 02:52:14 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR052219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri May 24 01:34:27 2019
Response via : Initial Calibration

