

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU052424\
 Data File : VU058959.D
 Acq On : 23 May 2024 19:33
 Operator : MD/SY
 Sample : P2566-01
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: May 24 07:07:12 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM052324WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri May 24 06:52:32 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	176220	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	182251	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	80871	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	90136	48.362	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	96.720%		
7) Chloroethane-d5	1.911	69	73152	47.227	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	94.460%		
11) 1,1-Dichloroethene-d2	2.563	63	109247	38.366	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	76.740%		
21) 2-Butanone-d5	4.621	46	122600	95.764	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	95.760%		
24) Chloroform-d	5.055	84	154250	48.250	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	96.500%		
26) 1,2-Dichloroethane-d4	5.695	65	97890	50.069	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	100.140%		
32) Benzene-d6	5.721	84	308690	49.682	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	99.360%		
36) 1,2-Dichloropropane-d6	6.682	67	103158	50.266	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	100.540%		
41) Toluene-d8	7.894	98	261864	47.019	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	94.040%		
43) trans-1,3-Dichloroprop...	8.177	79	41721	45.275	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	90.540%		
47) 2-Hexanone-d5	8.627	63	79653	93.845	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	93.840%		
56) 1,1,2,2-Tetrachloroeth...	10.750	84	148996	48.259	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	96.520%		
66) 1,2-Dichlorobenzene-d4	12.187	152	90956	54.508	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	109.020%		
Target Compounds					Qvalue	
13) Acetone	2.631	43	4122	3.652	ug/L	99
60) 1,2,3-Trichloropropane	11.807	75	11018	5.354	ug/L #	69


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU052424\
Data File : VU058959.D
Acq On : 23 May 2024 19:33
Operator : MD/SY
Sample : P2566-01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: May 24 07:07:12 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM052324WMA.M
Quant Title : VOC Analysis
QLast Update : Fri May 24 06:52:32 2024
Response via : Initial Calibration





#13

Acetone

Concen: 3.652 ug/L

RT: 2.631 min Scan# 41

Delta R.T. 0.003 min

Lab File: VU058959.D

Acq: 23 May 2024 19:33

Instrument :

MSVOA_U





ClientSampleId :

Tgt Ion: 43 Resp: 4122

Ion Ratio Lower Upper

43 100

58 33.2 0.0 67.2



#60

1,2,3-Trichloropropane

Concen: 5.354 ug/L

RT: 11.807 min Scan# 3271

Delta R.T. 0.994 min

Lab File: VU058959.D

Acq: 23 May 2024 19:33

Tgt Ion: 75 Resp: 11018

Ion Ratio Lower Upper

75 100

77 31.9 25.8 38.6

110 1.5 28.3 42.5#

