

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052620\
 Data File : VU038302.D
 Acq On : 26 May 2020 17:23
 Operator : JC/MD
 Sample : L2751-06
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0Y29

Quant Time: May 27 08:11:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed May 27 06:51:51 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	296965	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	294008	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	143991	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	95524	3.52	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	70.40%
7) Chloroethane-d5	1.93	69	87302	3.72	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	74.40%
11) 1,1-Dichloroethene-d2	2.59	63	142890	3.15	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	63.00%
20) 2-Butanone-d5	4.66	46	338385	50.49	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.98%
24) Chloroform-d	5.10	84	201185	4.88	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.60%
26) 1,2-Dichloroethane-d4	5.74	65	119746	5.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.40%
32) Benzene-d6	5.76	84	420013	4.77	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.40%
36) 1,2-Dichloropropane-d6	6.72	67	134142	4.72	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.40%
41) Toluene-d8	7.92	98	375158	4.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.80%
43) trans-1,3-Dichloropropene-	8.20	79	53889	4.73	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	94.60%
46) 2-Hexanone-d5	8.65	63	269248	50.06	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.12%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	109764	4.89	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.80%
64) 1,2-Dichlorobenzene-d4	12.20	152	150925	5.39	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.80%


Target Compounds					Ovalue
3) Chloromethane	1.54	50	4321	0.132 ug/L	97
13) Acetone	2.65	43	6879	1.636 ug/L	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052620\
Data File : VU038302.D
Acq On : 26 May 2020 17:23
Operator : JC/MD
Sample : L2751-06
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0Y29

Quant Time: May 27 08:11:22 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed May 27 06:51:51 2020
Response via : Initial Calibration





#3

Chloromethane

Concen: 0.132 ug/L

RT: 1.54 min Scan# 61

Delta R.T. 0.00 min

Lab File: VU038302.D

Acq: 26 May 2020 17:23

Instrument :

MSVOA_U

ClientSampleId :


C0Y29

Tot Ion: 50 Resp: 4321

Ion Ratio Lower Upper




50 100

52 30.2 22.5 41.7



Abundance Ion 50.05 (49.75 to 50.75): VU0

Ion 52.05 (51.75 to 52.75): VU0



#13

Acetone

Concen: 1.636 ug/L

RT: 2.65 min Scan# 407

Delta R.T. -0.02 min

Lab File: VU038302.D


Acq: 26 May 2020 17:23

Tgt Ion: 43 Resp: 6879

Ion Ratio Lower Upper

43 100

58 25.0 0.0 63.6



Abundance Ion 43.05 (42.75 to 43.75): VU0

Ion 58.05 (57.75 to 58.75): VU0

