

Quantitation Report (Qedit)


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052720\
 Data File : VU038324.D
 Acq On : 27 May 2020 16:33
 Operator : JC/MD
 Sample : L2749-06
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampleId :
 BE4X1

Manual Integrations
APPROVED

MMDadoda
 5/29/2020 8:40:00 AM

Quant Time: May 28 04:19:36 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA U\METHOD\SOMUTR050720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu May 28 04:16:01 2020
 Response via : Initial Calibration



(13) Acetone (T)

2.694min (+0.042) 1.22ug/L

response 5246

Ion	Exp%	Act%
43.05	100	100
58.05	31.80	28.65
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052720\
 Data File : VU038324.D
 Acq On : 27 May 2020 16:33
 Operator : JC/MD
 Sample : L2749-06
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BE4X1

Manual Integrations
 APPROVED

MMDadoda
 5/29/2020 8:40:00 AM

Quant Time: May 28 04:19:36 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu May 28 04:16:01 2020
 Response via : Initial Calibration



TIC: VU038324.D

(13) Acetone (T)

2.694min (+0.042) 2.79ug/L m

response 11955

Ion	Exp%	Act%
43.05	100	100
58.05	31.80	12.57
0.00	0.00	0.00
0.00	0.00	0.00

05/29/2020

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052720\
 Data File : VU038324.D
 Acq On : 27 May 2020 16:33
 Operator : JC/MD
 Sample : L2749-06
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BE4X1

Manual Integrations
 APPROVED

MMDadoda
 5/29/2020 8:40:00 AM

Quant Time: May 28 05:28:20 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu May 28 04:16:01 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	302976	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	296129	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	148946	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	86444	3.12	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	62.40%
7) Chloroethane-d5	1.93	69	79845	3.33	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	66.60%
11) 1,1-Dichloroethene-d2	2.59	63	140023	3.02	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.40%
20) 2-Butanone-d5	4.69	46	381409	55.78	ug/L	0.03
Spiked Amount	50.000	Range	40 - 130	Recovery	=	111.56%
24) Chloroform-d	5.10	84	199667	4.75	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.00%
26) 1,2-Dichloroethane-d4	5.74	65	118804	4.93	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.60%
32) Benzene-d6	5.76	84	408087	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.00%
36) 1,2-Dichloropropane-d6	6.72	67	130292	4.55	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.00%
41) Toluene-d8	7.92	98	360613	4.52	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.40%
43) trans-1,3-Dichloropropene-	8.20	79	50925	4.44	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.80%
46) 2-Hexanone-d5	8.66	63	304793	56.26	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	112.52%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	114224	5.05	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.00%
64) 1,2-Dichlorobenzene-d4	12.20	152	148211	5.11	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.20%

Target Compounds

					Ovalue	
13) Acetone	2.69	43	11955m	2.787	ug/L	
30) Cyclohexane	5.42	56	3488	0.087	ug/L	# 86
33) Benzene	5.81	78	74468	0.785	ug/L	100
51) Chlorobenzene	9.47	112	630431	10.148	ug/L	100
56) Isopropylbenzene	10.50	105	26875	0.260	ug/L	98
63) 1,4-Dichlorobenzene	11.85	146	14654	0.298	ug/L	97
65) 1,2-Dichlorobenzene	12.22	146	9237	0.198	ug/L	# 87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052720\
Data File : VU038324.D
Acq On : 27 May 2020 16:33
Operator : JC/MD
Sample : L2749-06
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BE4X1

Manual Integrations
APPROVED

MMDadoda
5/29/2020 8:40:00 AM

Quant Time: May 28 05:28:20 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu May 28 04:16:01 2020
Response via : Initial Calibration

