

Data File : VU038318.D
Acq On : 27 May 2020 14:13
Operator : JC/MD
Sample : L2749-12
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BE4X6

Quant Time: Jun 05 07:14:01 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu May 28 04:16:01 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	301086	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	293641	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	146252	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	91559	3.33	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	66.60%
7) Chloroethane-d5	1.93	69	83231	3.49	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	69.80%
11) 1,1-Dichloroethene-d2	2.59	63	138359	3.00	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.00%
20) 2-Butanone-d5	4.66	46	344253	50.66	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	101.32%
24) Chloroform-d	5.10	84	202701	4.85	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.00%
26) 1,2-Dichloroethane-d4	5.74	65	117534	4.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.20%
32) Benzene-d6	5.76	84	415912	4.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.40%
36) 1,2-Dichloropropane-d6	6.72	67	131357	4.63	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.60%
41) Toluene-d8	7.92	98	366721	4.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.80%
43) trans-1,3-Dichloropropene-	8.20	79	52047	4.58	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.60%
46) 2-Hexanone-d5	8.65	63	274987	51.19	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	102.38%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	112536	5.02	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.40%
64) 1,2-Dichlorobenzene-d4	12.20	152	149727	5.26	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	105.20%


Target Compounds					Qvalue
13) Acetone	2.65	43	9629	2.259 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU038318.D
Acq On : 27 May 2020 14:13
Operator : JC/MD
Sample : L2749-12
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BE4X6

Quant Time: Jun 05 07:14:01 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu May 28 04:16:01 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.259 ug/L
 RT: 2.65 min Scan# 408
 Delta R.T. -0.00 min
 Lab File: VU038318.D
 Acq: 27 May 2020 14:13

Instrument :
 MSVOA_U
 ClientSampleId :
 BE4X6

Tgt Ion: 43 Resp: 9629
 Ion Ratio Lower Upper
 43 100
 58 29.5 0.0 63.6

