

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052819\
 Data File : VU032330.D
 Acq On : 28 May 2019 15:49
 Operator : JC/SP
 Sample : K3049-07
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHH4

Quant Time: May 29 05:56:28 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052819WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 29 05:27:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	744711	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	734362	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	309086	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	242090	44.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.20%
7) Chloroethane-d5	1.67	69	219215	49.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.90%
11) 1,1-Dichloroethene-d2	2.27	63	352320	36.13	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.26%
21) 2-Butanone-d5	4.17	46	377536	104.51	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.51%
24) Chloroform-d	4.64	84	475011	49.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.88%
26) 1,2-Dichloroethane-d4	5.31	65	296153	52.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.18%
32) Benzene-d6	5.33	84	992595	51.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.06%
36) 1,2-Dichloropropane-d6	6.32	67	304910	51.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.00%
41) Toluene-d8	7.56	98	877341	48.82	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.64%
43) trans-1,3-Dichloropropene-	7.85	79	129704	47.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.74%
47) 2-Hexanone-d5	8.31	63	280570	111.85	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	111.85%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	455938	49.91	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.82%
64) 1,2-Dichlorobenzene-d4	11.85	152	333667	52.94	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.88%


Target Compounds					Ovalue
13) Acetone	2.32	43	6804	1.999 ug/L	70


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052819\
Data File : VU032330.D
Acq On : 28 May 2019 15:49
Operator : JC/SP
Sample : K3049-07
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFHH4

Quant Time: May 29 05:56:28 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052819WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 29 05:27:35 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.999 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU032330.D

Acq: 28 May 2019 15:49

Instrument :
MSVOA_U
ClientSampleId :
BFHH4

Tot Ion: 43 Resp: 6804

Ion Ratio Lower Upper

43 100

58 18.9 0.0 73.6

