

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052819\
 Data File : VU032332.D
 Acq On : 28 May 2019 16:36
 Operator : JC/SP
 Sample : K3049-05
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHG9

Quant Time: May 29 06:01:00 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052819WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 29 05:27:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	746298	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	735333	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	311947	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	244384	44.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.86%
7) Chloroethane-d5	1.67	69	215759	48.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.14%
11) 1,1-Dichloroethene-d2	2.27	63	347252	35.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.06%
21) 2-Butanone-d5	4.17	46	372205	102.81	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.81%
24) Chloroform-d	4.64	84	465298	48.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.66%
26) 1,2-Dichloroethane-d4	5.30	65	292045	51.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.52%
32) Benzene-d6	5.33	84	970666	50.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.66%
36) 1,2-Dichloropropane-d6	6.32	67	307500	51.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.72%
41) Toluene-d8	7.56	98	881446	48.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.96%
43) trans-1,3-Dichloropropene-	7.85	79	133022	48.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.04%
47) 2-Hexanone-d5	8.31	63	258178	102.78	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	102.78%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	453502	49.57	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.14%
64) 1,2-Dichlorobenzene-d4	11.85	152	340677	53.56	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.12%


Target Compounds					Ovalue
13) Acetone	2.32	43	7806	2.288 ug/L	71


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052819\
Data File : VU032332.D
Acq On : 28 May 2019 16:36
Operator : JC/SP
Sample : K3049-05
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFHG9

Quant Time: May 29 06:01:00 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052819WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 29 05:27:35 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.288 ug/L

RT: 2.32 min Scan# 382

Delta R.T. 0.00 min

Lab File: VU032332.D

Acq: 28 May 2019 16:36

Instrument :
MSVOA_U
ClientSampleId :
BFHG9

Tot Ion: 43 Resp: 7806

Ion Ratio Lower Upper

43 100

58 19.7 0.0 73.6

