

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052819\
 Data File : VU032341.D
 Acq On : 28 May 2019 20:33
 Operator : JC/SP
 Sample : K2975-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHL0

Quant Time: May 29 06:50:34 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052819WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 29 05:27:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	718376	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	713827	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	293651	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	193441	36.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	73.06%
7) Chloroethane-d5	1.67	69	186652	43.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.30%
11) 1,1-Dichloroethene-d2	2.27	63	271101	28.82	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	57.64%#
21) 2-Butanone-d5	4.17	46	365310	104.83	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.83%
24) Chloroform-d	4.64	84	433426	46.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.54%
26) 1,2-Dichloroethane-d4	5.31	65	271280	49.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.92%
32) Benzene-d6	5.33	84	876544	46.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.64%
36) 1,2-Dichloropropane-d6	6.32	67	284100	48.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.76%
41) Toluene-d8	7.56	98	737771	42.23	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	84.46%
43) trans-1,3-Dichloropropene-	7.85	79	115563	43.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.84%
47) 2-Hexanone-d5	8.31	63	217872	89.35	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.35%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	428680	48.27	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.54%
64) 1,2-Dichlorobenzene-d4	11.86	152	306470	51.18	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.36%


Target Compounds				Ovalue
13) Acetone	2.32	43	7596	2.313 ug/L 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052819\
Data File : VU032341.D
Acq On : 28 May 2019 20:33
Operator : JC/SP
Sample : K2975-10
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFHL0

Quant Time: May 29 06:50:34 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052819WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 29 05:27:35 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.313 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU032341.D

Acq: 28 May 2019 20:33

Instrument :
MSVOA_U
ClientSampleId :
BFHL0

Tot Ion: 43 Resp: 7596

Ion Ratio Lower Upper

43 100

58 40.1 0.0 73.6

