

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU052820\
 Data File : VU038347.D
 Acq On : 28 May 2020 15:52
 Operator : JC/MD
 Sample : VIBLK
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK

Quant Time: May 29 05:14:02 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri May 29 04:31:03 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	595967	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	570613	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	268516	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	217269	58.07	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	116.14%
7) Chloroethane-d5	1.93	69	168913	58.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	116.88%
11) 1,1-Dichloroethene-d2	2.59	63	323133	42.26	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.52%
21) 2-Butanone-d5	4.67	46	427572	120.29	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	120.29%
24) Chloroform-d	5.10	84	403855	54.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.94%
26) 1,2-Dichloroethane-d4	5.74	65	283193	56.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	112.50%
32) Benzene-d6	5.76	84	858332	57.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	115.78%
36) 1,2-Dichloropropane-d6	6.72	67	264188	57.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	114.96%
41) Toluene-d8	7.92	98	743201	56.71	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	113.42%
43) trans-1,3-Dichloropropene-	8.20	79	126659	55.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	110.72%
47) 2-Hexanone-d5	8.65	63	312332	129.07	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	129.07%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	374068	55.00	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	110.00%
64) 1,2-Dichlorobenzene-d4	12.20	152	283838	57.03	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	114.06%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU052820\
Data File : VU038347.D
Acq On : 28 May 2020 15:52
Operator : JC/MD
Sample : VIBLK
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK

Quant Time: May 29 05:14:02 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052820WMA.M
Quant Title : VOC Analysis
QLast Update : Fri May 29 04:31:03 2020
Response via : Initial Calibration

