

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU052820\
 Data File : VU038364.D
 Acq On : 28 May 2020 22:09
 Operator : JC/MD
 Sample : L2756-12
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK02

Quant Time: May 29 06:29:58 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri May 29 04:31:03 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	634273	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	608066	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	285242	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	163473	41.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	82.12%
7) Chloroethane-d5	1.93	69	138702	45.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.18%
11) 1,1-Dichloroethene-d2	2.59	63	256546	31.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.04%
21) 2-Butanone-d5	4.66	46	373467	98.72	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.72%
24) Chloroform-d	5.10	84	350003	44.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.52%
26) 1,2-Dichloroethane-d4	5.74	65	243471	45.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.88%
32) Benzene-d6	5.76	84	725947	45.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.90%
36) 1,2-Dichloropropane-d6	6.72	67	225496	46.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.08%
41) Toluene-d8	7.92	98	619772	44.38	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.76%
43) trans-1,3-Dichloropropene-	8.20	79	106049	43.49	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.98%
47) 2-Hexanone-d5	8.65	63	270977	105.09	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.09%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	324207	44.73	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.46%
64) 1,2-Dichlorobenzene-d4	12.20	152	244802	46.30	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.60%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU052820\
Data File : VU038364.D
Acq On : 28 May 2020 22:09
Operator : JC/MD
Sample : L2756-12
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK02

Quant Time: May 29 06:29:58 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052820WMA.M
Quant Title : VOC Analysis
QLast Update : Fri May 29 04:31:03 2020
Response via : Initial Calibration

