

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU052820\
 Data File : VU038350.D
 Acq On : 28 May 2020 16:59
 Operator : JC/MD
 Sample : L2751-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0Y30

Quant Time: May 29 05:29:15 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri May 29 04:31:03 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	585574	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	576520	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.82	152	269428	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	206909	56.29	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	112.58%
7) Chloroethane-d5	1.93	69	162467	57.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	114.42%
11) 1,1-Dichloroethene-d2	2.59	63	308904	41.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.22%
21) 2-Butanone-d5	4.66	46	396804	113.61	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	113.61%
24) Chloroform-d	5.10	84	385360	53.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.76%
26) 1,2-Dichloroethane-d4	5.74	65	262647	53.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.18%
32) Benzene-d6	5.76	84	820300	54.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.52%
36) 1,2-Dichloropropane-d6	6.72	67	248447	53.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	107.00%
41) Toluene-d8	7.92	98	711041	53.70	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.40%
43) trans-1,3-Dichloropropene-	8.20	79	120933	52.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	104.62%
47) 2-Hexanone-d5	8.66	63	292054	119.46	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	119.46%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	352448	51.29	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.58%
64) 1,2-Dichlorobenzene-d4	12.20	152	276206	55.31	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.62%

Target Compounds


						Qvalue
9) Trichlorofluoromethane	2.16	101	96206	16.00	ug/L	98
13) Acetone	2.66	43	8465	2.92	ug/L	97
34) Trichloroethene	6.57	95	6647	1.60	ug/L	94
46) Tetrachloroethene	8.57	164	186965	61.73	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU052820\
Data File : VU038350.D
Acq On : 28 May 2020 16:59
Operator : JC/MD
Sample : L2751-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0Y30

Quant Time: May 29 05:29:15 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052820WMA.M
Quant Title : VOC Analysis
QLast Update : Fri May 29 04:31:03 2020
Response via : Initial Calibration









#9

Trichlorofluoromethane
 Concen: 16.00 ug/L
 RT: 2.16 min Scan# 254
 Delta R.T. -0.00 min
 Lab File: VU038350.D
 Acq: 28 May 2020 16:59

Instrument :
 MSVOA_U
 ClientSampleId :
 C0Y30




Tgt Ion:101 Resp: 96206
 Ion Ratio Lower Upper
 101 100
 103 65.8 51.4 77.0




#13

Acetone
 Concen: 2.92 ug/L
 RT: 2.66 min Scan# 409
 Delta R.T. -0.00 min
 Lab File: VU038350.D
 Acq: 28 May 2020 16:59

Tgt Ion: 43 Resp: 8465
 Ion Ratio Lower Upper
 43 100
 58 30.0 0.0 63.4





#34

Trichloroethene

Concen: 1.60 ug/L

RT: 6.57 min Scan# 1626

Delta R.T. -0.00 min

Lab File: VU038350.D

Acq: 28 May 2020 16:59

Instrument :

MSVOA_U

ClientSampleId :

C0Y30

Tgt Ion: 95 Resp: 6647


Ion Ratio Lower Upper

95 100

97 61.5 44.3 82.3

132 92.8 64.7 120.1

130 85.1 68.5 127.1






Abundance Ion 95.00 (94.70 to 95.70): VU0

Ion 97.00 (96.70 to 97.70): VU0

Ion 132.00 (131.70 to 132.70): V

Ion 130.00 (129.70 to 130.70): V



#46

Tetrachloroethene

Concen: 61.73 ug/L

RT: 8.57 min Scan# 2250

Delta R.T. -0.00 min

Lab File: VU038350.D

Acq: 28 May 2020 16:59

Tgt Ion: 164 Resp: 186965


Ion Ratio Lower Upper

164 100

129 95.0 67.2 124.8

131 93.1 63.4 117.8

166 126.9 88.5 164.4



Abundance Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V

