

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052919\
 Data File : VU032348.D
 Acq On : 29 May 2019 09:58
 Operator : JC/SP
 Sample : K3045-12
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0C56

Quant Time: May 30 06:21:51 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR052219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu May 30 05:34:28 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	356266	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	362459	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	153369	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	122504	6.12	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	122.40%
7) Chloroethane-d5	1.67	69	105974	5.68	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	113.60%
11) 1,1-Dichloroethene-d2	2.27	63	176265	4.78	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	95.60%
20) 2-Butanone-d5	4.19	46	288283	51.08	ug/L	-0.03
Spiked Amount	50.000	Range	40 - 130	Recovery	=	102.16%
24) Chloroform-d	4.64	84	229049	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.60%
26) 1,2-Dichloroethane-d4	5.30	65	116650	4.31	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.20%
32) Benzene-d6	5.33	84	482054	4.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.80%
36) 1,2-Dichloropropane-d6	6.32	67	145429	4.35	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.00%
41) Toluene-d8	7.56	98	411055	4.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.20%
43) trans-1,3-Dichloropropene-	7.85	79	51241	3.99	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.80%
46) 2-Hexanone-d5	8.31	63	200734	41.54	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	83.08%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	113623	3.42	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	68.40%
64) 1,2-Dichlorobenzene-d4	11.86	152	158083	3.74	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	74.80%#


Target Compounds				Ovalue
13) Acetone	2.32	43	20876	11.939 ug/L 95
15) Methyl Acetate	2.61	43	4843	0.944 ug/L # 83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052919\
Data File : VU032348.D
Acq On : 29 May 2019 09:58
Operator : JC/SP
Sample : K3045-12
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0C56

Quant Time: May 30 06:21:51 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR052219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu May 30 05:34:28 2019
Response via : Initial Calibration





#13

Acetone

Concen: 11.939 ug/L

RT: 2.32 min Scan# 383

Delta R.T. -0.03 min

Lab File: VU032348.D

Acq: 29 May 2019 09:58

Instrument :

MSVOA_U

ClientSampleId :


C0C56

Tot Ion: 43 Resp: 20876

Ion Ratio Lower Upper

43 100

58 33.6 0.0 72.6



Abundance Ion 43.05 (42.75 to 43.75): VU032346.D (-373) (-)

Ion 58.05 (57.75 to 58.75): VU032346.D (-373) (-)

2.32

15000



10000

5000

0

Time-->

2.25 2.30 2.35 2.40



#15

Methyl Acetate

Concen: 0.944 ug/L

RT: 2.61 min Scan# 474

Delta R.T. -0.01 min

Lab File: VU032348.D


Acq: 29 May 2019 09:58

Tgt Ion: 43 Resp: 4843

Ion Ratio Lower Upper

43 100

74 24.2 27.3 40.9#



Abundance Ion 43.05 (42.75 to 43.75): VU032346.D (-461) (-)

Ion 74.05 (73.75 to 74.75): VU032346.D (-461) (-)

2.61

2500

2000

1500

1000

500

0

Time-->

2.55 2.60 2.65

