

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052919\
 Data File : VU032349.D
 Acq On : 29 May 2019 10:22
 Operator : JC/SP
 Sample : K3045-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0C49

Quant Time: May 30 06:24:36 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR052219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu May 30 05:34:28 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	350635	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	356980	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	152143	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	127786	6.49	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	129.80%
7) Chloroethane-d5	1.68	69	109051	5.94	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	118.80%
11) 1,1-Dichloroethene-d2	2.27	63	184134	5.07	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	101.40%
20) 2-Butanone-d5	4.19	46	288036	51.86	ug/L	-0.03
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.72%
24) Chloroform-d	4.64	84	234531	4.66	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.20%
26) 1,2-Dichloroethane-d4	5.31	65	119280	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.60%
32) Benzene-d6	5.33	84	485100	4.79	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.80%
36) 1,2-Dichloropropane-d6	6.32	67	144455	4.39	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.80%
41) Toluene-d8	7.56	98	412090	4.19	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.80%
43) trans-1,3-Dichloropropene-	7.85	79	50528	3.99	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.80%
46) 2-Hexanone-d5	8.31	63	205286	43.13	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	86.26%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	115625	3.54	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	70.80%
64) 1,2-Dichlorobenzene-d4	11.86	152	158792	3.79	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	75.80%#


Target Compounds				Ovalue
13) Acetone	2.32	43	19228	11.173 ug/L 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052919\
Data File : VU032349.D
Acq On : 29 May 2019 10:22
Operator : JC/SP
Sample : K3045-05
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0C49

Quant Time: May 30 06:24:36 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR052219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu May 30 05:34:28 2019
Response via : Initial Calibration





#13

Acetone

Concen: 11.173 ug/L

RT: 2.32 min Scan# 383

Delta R.T. -0.03 min

Lab File: VU032349.D

Acq: 29 May 2019 10:22

Instrument :
MSVOA_U
ClientSampleId :
C0C49

Tot Ion: 43 Resp: 19228

Ion Ratio Lower Upper

43 100

58 39.7 0.0 72.6

