

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052919\
 Data File : VU032352.D
 Acq On : 29 May 2019 11:37
 Operator : JC/SP
 Sample : K3045-06
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0C50

Quant Time: May 30 06:39:04 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR052219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu May 30 05:34:28 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	344565	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	347628	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	141568	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	124228	6.42	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	128.40%
7) Chloroethane-d5	1.68	69	105605	5.85	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	117.00%
11) 1,1-Dichloroethene-d2	2.27	63	179504	5.03	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	100.60%
20) 2-Butanone-d5	4.19	46	277750	50.89	ug/L	-0.03
Spiked Amount	50.000	Range	40 - 130	Recovery	=	101.78%
24) Chloroform-d	4.64	84	230537	4.66	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.20%
26) 1,2-Dichloroethane-d4	5.31	65	115365	4.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.20%
32) Benzene-d6	5.33	84	482360	4.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.80%
36) 1,2-Dichloropropane-d6	6.33	67	144259	4.50	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.00%
41) Toluene-d8	7.56	98	409599	4.27	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.40%
43) trans-1,3-Dichloropropene-	7.85	79	49031	3.98	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.60%
46) 2-Hexanone-d5	8.31	63	196827	42.46	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.92%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	111707	3.51	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	70.20%
64) 1,2-Dichlorobenzene-d4	11.86	152	150871	3.87	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	77.40%#


Target Compounds				Ovalue
13) Acetone	2.32	43	10596	6.266 ug/L 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052919\
Data File : VU032352.D
Acq On : 29 May 2019 11:37
Operator : JC/SP
Sample : K3045-06
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0C50

Quant Time: May 30 06:39:04 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR052219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu May 30 05:34:28 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 6.266 ug/L
 RT: 2.32 min Scan# 383
 Delta R.T. -0.03 min
 Lab File: VU032352.D
 Acq: 29 May 2019 11:37

Instrument :
 MSVOA_U
 ClientSampleId :
 C0C50

Tot Ion: 43 Resp: 10596
 Ion Ratio Lower Upper
 43 100
 58 36.3 0.0 72.6

