

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU052920\
 Data File : VU038375.D
 Acq On : 29 May 2020 12:52
 Operator : JC/MD
 Sample : L2751-12
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: May 29 16:59:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri May 29 16:52:36 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	617924	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	602889	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	281083	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	164091	42.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.60%
7) Chloroethane-d5	1.93	69	138000	46.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.10%
11) 1,1-Dichloroethene-d2	2.59	63	260936	32.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.82%
21) 2-Butanone-d5	4.66	46	370243	100.46	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.46%
24) Chloroform-d	5.10	84	357169	46.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.78%
26) 1,2-Dichloroethane-d4	5.74	65	243240	46.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.20%
32) Benzene-d6	5.76	84	737405	47.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.14%
36) 1,2-Dichloropropane-d6	6.72	67	226462	46.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.26%
41) Toluene-d8	7.92	98	638931	46.14	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.28%
43) trans-1,3-Dichloropropene-	8.20	79	110058	45.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.06%
47) 2-Hexanone-d5	8.65	63	271057	106.02	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.02%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	330865	46.04	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.08%
64) 1,2-Dichlorobenzene-d4	12.20	152	253426	48.64	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.28%


Target Compounds					Ovalue
59) 1,2,3-Trichloropropane	11.82	75	36270	5.906 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU052920\
Data File : VU038375.D
Acq On : 29 May 2020 12:52
Operator : JC/MD
Sample : L2751-12
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: May 29 16:59:28 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052820WMA.M
Quant Title : VOC Analysis
QLast Update : Fri May 29 16:52:36 2020
Response via : Initial Calibration





#59

1,2,3-Trichloropropane

Concen: 5.906 ug/L

RT: 11.82 min Scan# 3260

Delta R.T. 0.98 min

Lab File: VU038375.D

Acq: 29 May 2020 12:52

Instrument :

MSVOA_U


ClientSampleId :

Tot Ion: 75 Resp: 36270

Ion Ratio Lower Upper

75 100

77 37.7 25.8 38.8



Abundance Ion 75.00 (74.70 to 75.70): VU0

Ion 77.00 (76.70 to 77.70): VU0

