

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU053020\
 Data File : VU038392.D
 Acq On : 29 May 2020 21:33
 Operator : JC/MD
 Sample : VIBLK
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK

Quant Time: May 30 01:53:14 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat May 30 00:03:10 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	286496	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	276063	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	136322	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	117439	4.48	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	89.60%
7) Chloroethane-d5	1.93	69	92524	4.08	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	81.60%
11) 1,1-Dichloroethene-d2	2.59	63	172384	3.93	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.60%
20) 2-Butanone-d5	4.67	46	373447	57.76	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	115.52%
24) Chloroform-d	5.10	84	218306	5.49	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	109.80%
26) 1,2-Dichloroethane-d4	5.74	65	127812	5.61	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	112.20%
32) Benzene-d6	5.76	84	453636	5.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	109.60%
36) 1,2-Dichloropropane-d6	6.72	67	138031	5.17	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	103.40%
41) Toluene-d8	7.92	98	388582	5.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.60%
43) trans-1,3-Dichloropropene-	8.20	79	55508	5.19	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	103.80%
46) 2-Hexanone-d5	8.65	63	316135	62.60	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	125.20%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	113963	5.41	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	108.20%
64) 1,2-Dichlorobenzene-d4	12.20	152	150525	5.67	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	113.40%


Target Compounds					Qvalue
16) Methylene chloride	3.08	84	2569	0.11 ug/L	82


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU053020\
Data File : VU038392.D
Acq On : 29 May 2020 21:33
Operator : JC/MD
Sample : VIBLK
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK

Quant Time: May 30 01:53:14 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat May 30 00:03:10 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.11 ug/L
RT: 3.08 min Scan# 540
Delta R.T. -0.00 min
Lab File: VU038392.D
Acq: 29 May 2020 21:33

Instrument :
MSVOA_U
ClientSampleId :
VIBLK

Tgt Ion: 84 Resp: 2569
Ion Ratio Lower Upper
84 100
86 77.1 44.9 83.3
49 152.8 92.0 170.9

