

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU053023\
 Data File : VU054318.D
 Acq On : 30 May 2023 16:56
 Operator : JC/MD
 Sample : 02912-11
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 RE134D3-20230523

Quant Time: May 31 06:28:49 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\82U052523W.M
 Quant Title : SW846 8260
 QLast Update : Fri May 26 06:40:51 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	5.369	168	257178	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.243	114	422183	50.000	ug/l	0.00
63) Chlorobenzene-d5	9.410	117	391974	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.806	152	185482	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.693	65	175701	52.116	ug/l	0.00
Spiked Amount 50.000	Range 78 - 117		Recovery = 104.240%			
35) Dibromofluoromethane	5.285	113	141018	51.868	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery = 103.740%			
50) Toluene-d8	7.893	98	517881	50.079	ug/l	0.00
Spiked Amount 50.000	Range 92 - 112		Recovery = 100.160%			
62) 4-Bromofluorobenzene	10.629	95	178263	44.457	ug/l	0.00
Spiked Amount 50.000	Range 83 - 123		Recovery = 88.920%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.385	85	654	0.228	ug/l	96
3) Chloromethane	1.517	50	3018	0.803	ug/l #	83
5) Bromomethane	1.864	94	470	0.237	ug/l #	66
8) Diethyl Ether	2.578	74	1173	0.642	ug/l #	5
9) 1,1,2-Trichlorotrifluo...	2.575	101	1672346	625.950	ug/l	96
10) Methyl Iodide	2.713	142	90	2.358	ug/l #	43
11) Tert butyl alcohol	3.189	59	263	0.289	ug/l #	37
12) 1,1-Dichloroethene	2.575	96	12403	4.484	ug/l #	86
16) Acetone	2.642	43	1083	0.560	ug/l #	80
20) Methylene Chloride	3.038	84	906	0.260	ug/l #	88
24) 1,1-Dichloroethane	3.870	63	1390	0.255	ug/l #	82
27) cis-1,2-Dichloroethene	4.661	96	10231	3.105	ug/l	98
30) Chloroform	5.079	83	1317	0.238	ug/l	97
31) Cyclohexane	5.369	56	4601	0.967	ug/l #	1
32) 1,1,1-Trichloroethane	5.308	97	1029	0.214	ug/l #	41
36) 1,1-Dichloropropene	5.365	75	19996	4.683	ug/l #	49
38) Carbon Tetrachloride	5.369	117	24728	5.658	ug/l #	16
39) Methylcyclohexane	6.536	83	5600	1.158	ug/l #	1
42) 1,2-Dichloroethane	5.796	62	1321	0.299	ug/l #	74
44) Trichloroethene	6.536	130	458416	134.634	ug/l	92
45) 1,2-Dichloropropane	6.790	63	2470	0.777	ug/l	95
48) Methyl methacrylate	6.783	41	1507	0.473	ug/l #	27
49) 1,4-Dioxane	6.996	88	1164	12.665	ug/l #	1
51) 4-Methyl-2-Pentanone	7.893	43	1971	0.411	ug/l #	1
60) Dibromochloromethane	8.549	129	319764	97.782	ug/l #	11
64) Tetrachloroethene	8.549	164	341152	115.641	ug/l	97
76) 1,2,3-Trichloropropane	10.629	75	91033	16.816	ug/l #	45
81) trans-1,4-Dichloro-2-b...	10.629	75	91033	64.035	ug/l #	15
93) 1,2,4-Trichlorobenzene	13.857	180	149	1.677	ug/l #	58
95) Naphthalene	14.118	128	588	2.032	ug/l #	69
96) 1,2,3-Trichlorobenzene	14.336	180	71	1.271	ug/l #	63


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU053023\
Data File : VU054318.D
Acq On : 30 May 2023 16:56
Operator : JC/MD
Sample : 02912-11
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
RE134D3-20230523

Quant Time: May 31 06:28:49 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\82U052523W.M
Quant Title : SW846 8260
QLast Update : Fri May 26 06:40:51 2023
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.369 min Scan# 11
Delta R.T. 0.003 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56




Instrument :
MSVOA_U
ClientSampleId :
RE134D3-20230523


Tgt Ion:168 Resp: 257178
Ion Ratio Lower Upper
168 100
99 54.3 39.3 58.9



#2
Dichlorodifluoromethane
Concen: 0.228 ug/l
RT: 1.385 min Scan# 14
Delta R.T. 0.003 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56

Tgt Ion: 85 Resp: 654
Ion Ratio Lower Upper
85 100
87 34.9 16.4 49.2









#3
Chloromethane
Concen: 0.803 ug/l
RT: 1.517 min Scan# 51
Delta R.T. -0.003 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56




Instrument :
MSVOA_U
ClientSampleId :
RE134D3-20230523


Tgt Ion: 50 Resp: 3018
Ion Ratio Lower Upper
50 100
52 24.4 27.4 41.2#



#5
Bromomethane
Concen: 0.237 ug/l
RT: 1.864 min Scan# 163
Delta R.T. 0.010 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56

Tgt Ion: 94 Resp: 470
Ion Ratio Lower Upper
94 100
96 59.6 73.7 110.5#









#8
Diethyl Ether
Concen: 0.642 ug/l
RT: 2.578 min Scan# 31
Delta R.T. 0.206 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56




Instrument :
MSVOA_U
ClientSampleId :
RE134D3-20230523


Tgt Ion: 74 Resp: 1173
Ion Ratio Lower Upper
74 100
45 0.0 44.4 133.2#



#9
1,1,2-Trichlorotrifluoroethane
Concen: 625.950 ug/l
RT: 2.575 min Scan# 384
Delta R.T. -0.000 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56


Tgt Ion:101 Resp: 1672346
Ion Ratio Lower Upper
101 100
85 43.3 33.9 50.9
151 75.0 64.0 96.0








#10
Methyl Iodide
Concen: 2.358 ug/l
RT: 2.713 min Scan# 41
Delta R.T. -0.003 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56

Instrument :
MSVOA_U
ClientSampleId :
RE134D3-20230523







Tgt Ion:142 Resp: 90
Ion Ratio Lower Upper
142 100
127 0.0 32.5 48.7#
141 0.0 11.4 17.0#



#11
Tert butyl alcohol
Concen: 0.289 ug/l
RT: 3.189 min Scan# 575
Delta R.T. -0.054 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56

Tgt Ion: 59 Resp: 263
Ion Ratio Lower Upper
59 100
57 0.0 30.6 45.8#









#12
1,1-Dichloroethene
Concen: 4.484 ug/l
RT: 2.575 min Scan# 31
Delta R.T. -0.000 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56




Instrument :
MSVOA_U
ClientSampleId :
RE134D3-20230523


Tgt Ion: 96 Resp: 12403
Ion Ratio Lower Upper
96 100
61 136.9 122.2 183.2
98 48.1 50.7 76.1#



#16
Acetone
Concen: 0.560 ug/l
RT: 2.642 min Scan# 405
Delta R.T. 0.006 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56

Tgt Ion: 43 Resp: 1083
Ion Ratio Lower Upper
43 100
58 45.7 27.5 41.3#









#20
Methylene Chloride
Concen: 0.260 ug/l
RT: 3.038 min Scan# 51
Delta R.T. -0.003 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56




Instrument :
MSVOA_U
ClientSampleId :
RE134D3-20230523


Tgt Ion:	84	Resp:	906
Ion	Ratio	Lower	Upper
84	100		
49	123.6	86.6	129.8
51	22.3	26.6	40.0#
86	65.8	50.6	75.8



#24
1,1-Dichloroethane
Concen: 0.255 ug/l
RT: 3.870 min Scan# 787
Delta R.T. 0.009 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56

Tgt Ion:	63	Resp:	1390
Ion	Ratio	Lower	Upper
63	100		
98	0.0	3.6	10.9#
100	0.0	2.4	7.2#









#27
 cis-1,2-Dichloroethene
 Concen: 3.105 ug/l
 RT: 4.661 min Scan# 1033
 Delta R.T. 0.003 min
 Lab File: VU054318.D
 Acq: 30 May 2023 16:56




Instrument :
 MSVOA_U
 ClientSampleId :
 RE134D3-20230523


Tgt Ion: 96 Resp: 10231
 Ion Ratio Lower Upper
 96 100
 61 134.1 0.0 271.6
 98 67.0 0.0 128.2



#30
 Chloroform
 Concen: 0.238 ug/l
 RT: 5.079 min Scan# 1163
 Delta R.T. 0.000 min
 Lab File: VU054318.D
 Acq: 30 May 2023 16:56

Tgt Ion: 83 Resp: 1317
 Ion Ratio Lower Upper
 83 100
 85 66.5 51.2 76.8





#31

Cyclohexane

Concen: 0.967 ug/l

RT: 5.369 min Scan# 1253

Delta R.T. -0.013 min

Lab File: VU054318.D

Acq: 30 May 2023 16:56

Instrument :

MSVOA_U

ClientSampleId :

RE134D3-20230523





Tgt Ion: 56 Resp: 4601

Ion Ratio Lower Upper

56 100

69 202.2 27.8 41.8#

84 183.1 74.2 111.4#



#32

1,1,1-Trichloroethane

Concen: 0.214 ug/l

RT: 5.308 min Scan# 1234

Delta R.T. -0.000 min

Lab File: VU054318.D

Acq: 30 May 2023 16:56




Tgt Ion: 97 Resp: 1029


Ion Ratio Lower Upper

97 100

99 0.0 51.8 77.6#

61 27.8 35.1 52.7#





#33

1,2-Dichloroethane-d4

Concen: 52.116 ug/l

RT: 5.693 min Scan# 11

Delta R.T. -0.001 min

Lab File: VU054318.D

Acq: 30 May 2023 16:56

Instrument :

MSVOA_U

ClientSampleId :





RE134D3-20230523

Tgt Ion: 65 Resp: 175701

Ion Ratio Lower Upper

65 100

67 52.7 0.0 108.0



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.243 min Scan# 1525

Delta R.T. 0.000 min

Lab File: VU054318.D

Acq: 30 May 2023 16:56




Tgt Ion: 114 Resp: 422183


Ion Ratio Lower Upper

114 100

63 21.6 0.0 37.8

88 16.3 0.0 29.2





#35

Dibromofluoromethane

Concen: 51.868 ug/l

RT: 5.285 min Scan# 11

Delta R.T. 0.003 min

Lab File: VU054318.D

Acq: 30 May 2023 16:56

Instrument :

MSVOA_U

ClientSampleId :

RE134D3-20230523





Tgt Ion:113 Resp: 141018

Ion Ratio Lower Upper

113 100

111 104.0 82.1 123.1

192 20.9 18.0 27.0



#36

1,1-Dichloropropene

Concen: 4.683 ug/l

RT: 5.365 min Scan# 1252

Delta R.T. -0.154 min

Lab File: VU054318.D

Acq: 30 May 2023 16:56




Tgt Ion: 75 Resp: 19996


Ion Ratio Lower Upper

75 100

110 9.1 18.4 55.2#

77 0.0 25.1 37.7#









#38
Carbon Tetrachloride
Concen: 5.658 ug/l
RT: 5.369 min Scan# 1117
Delta R.T. -0.148 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56




Instrument :
MSVOA_U
ClientSampleId :
RE134D3-20230523


Tgt Ion:117 Resp: 24728
Ion Ratio Lower Upper
117 100
119 5.8 76.8 115.2#
121 0.0 24.7 37.1#



#39
Methylcyclohexane
Concen: 1.158 ug/l
RT: 6.536 min Scan# 1616
Delta R.T. -0.222 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56

Tgt Ion: 83 Resp: 5600
Ion Ratio Lower Upper
83 100
55 0.0 55.3 82.9#
98 179.7 37.3 55.9#





#42

1,2-Dichloroethane

Concen: 0.299 ug/l

RT: 5.796 min Scan# 1

Delta R.T. 0.009 min

Lab File: VU054318.D

Acq: 30 May 2023 16:56

Instrument :

MSVOA_U

ClientSampleId :





RE134D3-20230523

Tgt Ion: 62 Resp: 1321

Ion Ratio Lower Upper

62 100

98 0.0 0.0 18.6



#44

Trichloroethene

Concen: 134.634 ug/l

RT: 6.536 min Scan# 1616

Delta R.T. -0.000 min

Lab File: VU054318.D




Acq: 30 May 2023 16:56


Tgt Ion:130 Resp: 458416

Ion Ratio Lower Upper

130 100

95 99.8 0.0 184.6





#45

1,2-Dichloropropane

Concen: 0.777 ug/l

RT: 6.790 min Scan# 1

Delta R.T. 0.006 min

Lab File: VU054318.D

Acq: 30 May 2023 16:56

Instrument :

MSVOA_U

ClientSampleId :





RE134D3-20230523

Tgt Ion: 63 Resp: 2470

Ion Ratio Lower Upper

63 100

65 28.3 25.0 37.4



#48

Methyl methacrylate

Concen: 0.473 ug/l

RT: 6.783 min Scan# 1693

Delta R.T. -0.171 min

Lab File: VU054318.D

Acq: 30 May 2023 16:56




Tgt Ion: 41 Resp: 1507


Ion Ratio Lower Upper

41 100

69 0.0 79.8 119.6#

39 81.8 47.9 71.9#





#49

1,4-Dioxane

Concen: 12.665 ug/l

RT: 6.996 min Scan# 1

Delta R.T. -0.006 min

Lab File: VU054318.D

Acq: 30 May 2023 16:56

Instrument :

MSVOA_U

ClientSampleId :

RE134D3-20230523





Tgt Ion: 88 Resp: 1164

Ion Ratio Lower Upper

88 100

43 20.1 0.0 0.0#

58 115.3 15.4 23.0#



#50

Toluene-d8

Concen: 50.079 ug/l

RT: 7.893 min Scan# 2038

Delta R.T. -0.000 min

Lab File: VU054318.D




Acq: 30 May 2023 16:56


Tgt Ion: 98 Resp: 517881

Ion Ratio Lower Upper

98 100

100 66.3 51.7 77.5





#51

4-Methyl-2-Pentanone

Concen: 0.411 ug/l

RT: 7.893 min Scan# 2005

Delta R.T. 0.106 min

Lab File: VU054318.D

Acq: 30 May 2023 16:56

Instrument :

MSVOA_U

ClientSampleId :





RE134D3-20230523

Tgt Ion: 43 Resp: 1971

Ion Ratio Lower Upper

43 100

58 193.4 34.7 52.1#



#60

Dibromochloromethane

Concen: 97.782 ug/l

RT: 8.549 min Scan# 2242

Delta R.T. -0.254 min

Lab File: VU054318.D




Acq: 30 May 2023 16:56


Tgt Ion: 129 Resp: 319764

Ion Ratio Lower Upper

129 100

127 0.0 38.6 116.0#









#62
4-Bromofluorobenzene
Concen: 44.457 ug/l
RT: 10.629 min Scan# 21
Delta R.T. 0.003 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56




Instrument :
MSVOA_U
ClientSampleId :
RE134D3-20230523


Tgt Ion: 95 Resp: 178263
Ion Ratio Lower Upper
95 100
174 83.0 0.0 182.0
176 81.5 0.0 177.8



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.410 min Scan# 2510
Delta R.T. -0.004 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56


Tgt Ion: 117 Resp: 391974
Ion Ratio Lower Upper
117 100
82 56.0 41.7 62.5
119 31.0 25.7 38.5








#64
 Tetrachloroethene
 Concen: 115.641 ug/l
 RT: 8.549 min Scan# 211
 Delta R.T. -0.000 min
 Lab File: VU054318.D
 Acq: 30 May 2023 16:56

Instrument :
 MSVOA_U
 ClientSampleId :
 RE134D3-20230523







Tgt	Ion:164	Resp:	341152
Ion	Ratio	Lower	Upper
164	100		
166	126.9	100.0	150.0
129	94.6	72.0	108.0
131	89.8	69.7	104.5



#72
 1,4-Dichlorobenzene-d4
 Concen: 50.000 ug/l
 RT: 11.806 min Scan# 3255
 Delta R.T. -0.000 min
 Lab File: VU054318.D
 Acq: 30 May 2023 16:56

Tgt Ion:152	Resp: 185482
Ion Ratio	Lower Upper
152 100	
115 58.8	37.0 110.9
150 158.8	0.0 342.2









#76
1,2,3-Trichloropropane
Concen: 16.816 ug/l
RT: 10.629 min Scan# 21
Delta R.T. -0.190 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56




Instrument :
MSVOA_U
ClientSampleId :
RE134D3-20230523


Tgt Ion: 75 Resp: 91033
Ion Ratio Lower Upper
75 100
77 1.2 15.8 47.3#



#81
trans-1,4-Dichloro-2-butene
Concen: 64.035 ug/l
RT: 10.629 min Scan# 2889
Delta R.T. 0.090 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56


Tgt Ion: 75 Resp: 91033
Ion Ratio Lower Upper
75 100
53 0.0 69.2 103.8#
89 0.0 37.0 55.6#








#93
1,2,4-Trichlorobenzene
Concen: 1.677 ug/l
RT: 13.857 min Scan# 3893
Delta R.T. 0.022 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56


Instrument :
MSVOA_U
ClientSampleId :
RE134D3-20230523





Tgt Ion:180 Resp: 149
Ion Ratio Lower Upper
180 100
182 132.9 47.9 143.6
145 0.0 14.0 41.9#




#95
Naphthalene
Concen: 2.032 ug/l
RT: 14.118 min Scan# 3974
Delta R.T. 0.039 min
Lab File: VU054318.D
Acq: 30 May 2023 16:56



Tgt Ion:128 Resp: 588
Ion Ratio Lower Upper
128 100
127 0.0 10.3 15.5#
129 0.0 8.6 13.0#





#96

1,2,3-Trichlorobenzene

Concen: 1.271 ug/l

RT: 14.336 min Scan# 40

Delta R.T. 0.013 min

Lab File: VU054318.D


Acq: 30 May 2023 16:56

Instrument :

MSVOA_U

ClientSampleId :

RE134D3-20230523



Tgt Ion:180 Resp: 71

Ion Ratio Lower Upper

180 100

182 66.2 48.4 145.0

145 0.0 14.8 44.4#

