

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060120\
 Data File : VU038465.D
 Acq On : 01 Jun 2020 13:01
 Operator : JC/MD
 Sample : L2789-03
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFX76

Quant Time: Jun 02 14:58:29 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Jun 02 05:25:28 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	306039	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	298514	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	139464	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	82855	4.18	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	83.60%
7) Chloroethane-d5	1.93	69	76543	5.03	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	100.60%
11) 1,1-Dichloroethene-d2	2.59	63	129816	3.33	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.60%
20) 2-Butanone-d5	4.68	46	369731	61.45	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	122.90%
24) Chloroform-d	5.10	84	195431	5.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.00%
26) 1,2-Dichloroethane-d4	5.74	65	119310	5.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	113.00%
32) Benzene-d6	5.76	84	384699	5.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.20%
36) 1,2-Dichloropropane-d6	6.72	67	120971	5.28	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	105.60%
41) Toluene-d8	7.92	98	319594	4.78	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.60%
43) trans-1,3-Dichloropropene-	8.20	79	49081	4.98	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	99.60%
46) 2-Hexanone-d5	8.65	63	314719	64.66	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	129.32%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	108652	5.58	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	111.60%
64) 1,2-Dichlorobenzene-d4	12.20	152	133364	5.54	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	110.80%


Target Compounds					Ovalue
13) Acetone	2.68	43	23034	5.850 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060120\
Data File : VU038465.D
Acq On : 01 Jun 2020 13:01
Operator : JC/MD
Sample : L2789-03
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFX76

Quant Time: Jun 02 14:58:29 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Jun 02 05:25:28 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 5.850 ug/L
 RT: 2.68 min Scan# 417
 Delta R.T. -0.01 min
 Lab File: VU038465.D
 Acq: 01 Jun 2020 13:01

Instrument :
 MSVOA_U
 ClientSampleId :
 BFX76

Tot Ion: 43 Resp: 23034
 Ion Ratio Lower Upper
 43 100
 58 32.6 0.0 65.6

