

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060319\  
 Data File : VU032406.D  
 Acq On : 03 Jun 2019 20:36  
 Operator : JC/SP  
 Sample : K2888-16  
 Misc : 25.0mL/MSVOA U/WATER  
 ALS Vial : 17 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 C0BP8

Quant Time: Jun 04 09:31:42 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_U\METHOD\SOMUTR060319WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Tue Jun 04 08:55:15 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.88  | 114  | 102952   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 9.09  | 117  | 95410    | 5.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.48 | 152  | 42602    | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.40   | 65    | 40416    | 4.18     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 83.60%  |
| 7) Chloroethane-d5             | 1.67   | 69    | 36580    | 3.53     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 70.60%  |
| 11) 1,1-Dichloroethene-d2      | 2.27   | 63    | 68083    | 3.01     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 60.20%  |
| 20) 2-Butanone-d5              | 4.18   | 46    | 105140   | 46.76    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 93.52%  |
| 24) Chloroform-d               | 4.64   | 84    | 67138    | 4.56     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 91.20%  |
| 26) 1,2-Dichloroethane-d4      | 5.30   | 65    | 40716    | 5.01     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 100.20% |
| 32) Benzene-d6                 | 5.33   | 84    | 135470   | 5.07     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 101.40% |
| 36) 1,2-Dichloropropane-d6     | 6.32   | 67    | 44558    | 5.04     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 100.80% |
| 41) Toluene-d8                 | 7.56   | 98    | 126738   | 5.04     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 100.80% |
| 43) trans-1,3-Dichloropropene- | 7.85   | 79    | 18078    | 4.36     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 87.20%  |
| 46) 2-Hexanone-d5              | 8.31   | 63    | 86401    | 47.31    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 94.62%  |
| 57) 1,1,2,2-Tetrachloroethane- | 10.43  | 84    | 35215    | 4.74     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 94.80%  |
| 64) 1,2-Dichlorobenzene-d4     | 11.86  | 152   | 42587    | 5.21     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 104.20% |


| Target Compounds |      |    |      |            | Ovalue |
|------------------|------|----|------|------------|--------|
| 13) Acetone      | 2.32 | 43 | 8871 | 2.361 ug/L | 98     |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060319\  
Data File : VU032406.D  
Acq On : 03 Jun 2019 20:36  
Operator : JC/SP  
Sample : K2888-16  
Misc : 25.0mL/MSVOA U/WATER  
ALS Vial : 17 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
C0BP8

Quant Time: Jun 04 09:31:42 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_U\METHOD\SOMUTR060319WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Tue Jun 04 08:55:15 2019  
Response via : Initial Calibration





#13

Acetone

Concen: 2.361 ug/L

RT: 2.32 min Scan# 382

Delta R.T. -0.01 min

Lab File: VU032406.D

Acq: 03 Jun 2019 20:36

Instrument :

MSVOA\_U

ClientSampleId :

C0BP8

Tot Ion: 43 Resp: 8871

Ion Ratio Lower Upper

43 100

58 32.4 0.0 62.2

