

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060320\
 Data File : VU038509.D
 Acq On : 03 Jun 2020 11:31
 Operator : JC/MD
 Sample : VU0603WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK37

Quant Time: Jun 03 18:14:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 03 18:09:54 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	629429	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	621852	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.82	152	294097	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	155350	39.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	78.64%
7) Chloroethane-d5	1.93	69	135446	44.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.74%
11) 1,1-Dichloroethene-d2	2.59	63	257608	31.90	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.80%
21) 2-Butanone-d5	4.66	46	339954	90.55	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	90.55%
24) Chloroform-d	5.10	84	361618	46.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.22%
26) 1,2-Dichloroethane-d4	5.74	65	250576	47.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.24%
32) Benzene-d6	5.76	84	736841	45.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.20%
36) 1,2-Dichloropropane-d6	6.72	67	228129	45.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	91.08%
41) Toluene-d8	7.92	98	642738	45.00	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.00%
43) trans-1,3-Dichloropropene-	8.20	79	109084	43.75	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.50%
47) 2-Hexanone-d5	8.65	63	258870	98.17	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.17%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	332205	44.82	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.64%
64) 1,2-Dichlorobenzene-d4	12.20	152	257349	47.21	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.42%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060320\
Data File : VU038509.D
Acq On : 03 Jun 2020 11:31
Operator : JC/MD
Sample : VU0603WBL01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK37

Quant Time: Jun 03 18:14:25 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM052820WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 03 18:09:54 2020
Response via : Initial Calibration

