

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060420\
 Data File : VU038527.D
 Acq On : 03 Jun 2020 20:31
 Operator : SY/MD
 Sample : L2844-17
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AF9

Quant Time: Jun 04 04:27:53 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Jun 04 01:48:03 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	291067	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	286094	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	138275	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	55260	2.93	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	58.60%
7) Chloroethane-d5	1.93	69	58959	4.07	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	81.40%
11) 1,1-Dichloroethene-d2	2.59	63	100636	2.71	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	54.20%#
20) 2-Butanone-d5	4.67	46	293012	51.20	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	102.40%
24) Chloroform-d	5.10	84	175741	4.97	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.40%
26) 1,2-Dichloroethane-d4	5.74	65	109614	5.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	109.20%
32) Benzene-d6	5.76	84	343421	4.81	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.20%
36) 1,2-Dichloropropane-d6	6.72	67	111602	5.08	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.60%
41) Toluene-d8	7.92	98	280705	4.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.60%
43) trans-1,3-Dichloropropene-	8.20	79	43983	4.66	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.20%
46) 2-Hexanone-d5	8.65	63	308853	66.21	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	132.42%#
57) 1,1,2,2-Tetrachloroethane-	10.77	84	105492	5.66	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	113.20%
64) 1,2-Dichlorobenzene-d4	12.20	152	128214	5.38	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.60%

Target Compounds					Ovalue
13) Acetone	2.67	43	11991	3.202 ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060420\
Data File : VU038527.D
Acq On : 03 Jun 2020 20:31
Operator : SY/MD
Sample : L2844-17
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AF9

Quant Time: Jun 04 04:27:53 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jun 04 01:48:03 2020
Response via : Initial Calibration

