

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060420\
 Data File : VU038526.D
 Acq On : 03 Jun 2020 20:07
 Operator : SY/MD
 Sample : L2844-16
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AF7

Quant Time: Jun 04 04:24:24 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Jun 04 01:48:03 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	289027	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	284564	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	139358	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	58487	3.13	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	62.60%
7) Chloroethane-d5	1.93	69	61193	4.26	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	85.20%
11) 1,1-Dichloroethene-d2	2.59	63	101805	2.77	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	55.40%#
20) 2-Butanone-d5	4.67	46	336759	59.26	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	118.52%
24) Chloroform-d	5.10	84	179441	5.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.20%
26) 1,2-Dichloroethane-d4	5.74	65	107367	5.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	107.60%
32) Benzene-d6	5.76	84	340779	4.80	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.00%
36) 1,2-Dichloropropane-d6	6.72	67	112007	5.13	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.60%
41) Toluene-d8	7.92	98	283264	4.44	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.80%
43) trans-1,3-Dichloropropene-	8.20	79	43462	4.63	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.60%
46) 2-Hexanone-d5	8.65	63	290234	62.56	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	125.12%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	103860	5.60	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	112.00%
64) 1,2-Dichlorobenzene-d4	12.20	152	125779	5.23	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.60%


Target Compounds				Ovalue
13) Acetone	2.67	43	23602	6.347 ug/L 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060420\
Data File : VU038526.D
Acq On : 03 Jun 2020 20:07
Operator : SY/MD
Sample : L2844-16
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AF7

Quant Time: Jun 04 04:24:24 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jun 04 01:48:03 2020
Response via : Initial Calibration





#13

Acetone

Concen: 6.347 ug/L

RT: 2.67 min Scan# 415

Delta R.T. -0.01 min

Lab File: VU038526.D

Acq: 03 Jun 2020 20:07

Instrument :
MSVOA_U
ClientSampleId :
C0AF7

Tot Ion: 43 Resp: 23602

Ion Ratio Lower Upper

43 100

58 33.2 0.0 65.6

