

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060520\  
 Data File : VU038603.D  
 Acq On : 06 Jun 2020 05:36  
 Operator : SY/MD  
 Sample : L2910-10  
 Misc : 25.0mL/MSVOA U/WATER  
 ALS Vial : 4 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 F9D27

Quant Time: Jun 06 07:06:40 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_U\METHOD\SOMUTR053120WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Sat Jun 06 06:21:54 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 6.28  | 114  | 301556   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 9.44  | 117  | 305251   | 5.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.82 | 152  | 149820   | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.61   | 65    | 62548    | 3.21     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 64.20%  |
| 7) Chloroethane-d5             | 1.93   | 69    | 59153    | 3.94     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 78.80%  |
| 11) 1,1-Dichloroethene-d2      | 2.59   | 63    | 107371   | 2.80     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 56.00%# |
| 20) 2-Butanone-d5              | 4.67   | 46    | 312079   | 52.64    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 105.28% |
| 24) Chloroform-d               | 5.10   | 84    | 166678   | 4.55     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 91.00%  |
| 26) 1,2-Dichloroethane-d4      | 5.74   | 65    | 99997    | 4.80     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 96.00%  |
| 32) Benzene-d6                 | 5.76   | 84    | 321947   | 4.22     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 84.40%  |
| 36) 1,2-Dichloropropane-d6     | 6.72   | 67    | 103549   | 4.42     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 88.40%  |
| 41) Toluene-d8                 | 7.92   | 98    | 272276   | 3.98     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 79.60%  |
| 43) trans-1,3-Dichloropropene- | 8.20   | 79    | 40189    | 3.99     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 79.80%  |
| 46) 2-Hexanone-d5              | 8.65   | 63    | 261747   | 52.59    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 105.18% |
| 57) 1,1,2,2-Tetrachloroethane- | 10.77  | 84    | 96762    | 4.86     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 97.20%  |
| 64) 1,2-Dichlorobenzene-d4     | 12.20  | 152   | 120166   | 4.65     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 93.00%  |

## Target Compounds

|                        |      |    |       |        | Ovalue    |
|------------------------|------|----|-------|--------|-----------|
| 13) Acetone            | 2.67 | 43 | 49665 | 12.800 | ug/L 99   |
| 21) 2-Butanone         | 4.75 | 43 | 9552  | 1.464  | ug/L # 72 |
| 27) 1,2-Dichloroethane | 5.83 | 62 | 21426 | 0.836  | ug/L # 93 |
| 30) Cyclohexane        | 5.43 | 56 | 7308  | 0.216  | ug/L 98   |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060520\  
Data File : VU038603.D  
Acq On : 06 Jun 2020 05:36  
Operator : SY/MD  
Sample : L2910-10  
Misc : 25.0mL/MSVOA U/WATER  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
F9D27

Quant Time: Jun 06 07:06:40 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_U\METHOD\SOMUTR053120WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Sat Jun 06 06:21:54 2020  
Response via : Initial Calibration

