

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060520\
 Data File : VU038584.D
 Acq On : 05 Jun 2020 19:35
 Operator : SY/MD
 Sample : L2906-03
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampled :
 C0AF8

Manual Integrations
APPROVED

MMDadoda
 6/8/2020 1:44:55 PM

Quant Time: Jun 06 00:16:45 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Jun 06 00:12:39 2020
 Response via : Initial Calibration



TIC: VU038584.D

(13) Acetone (T)

2.668min (-0.023) 0.10ug/L

response 371

Ion	Exp%	Act%
43.05	100	100
58.05	32.80	17.79
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060520\
Data File : VU038584.D
Acq On : 05 Jun 2020 19:35
Operator : SY/MD
Sample : L2906-03
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampled :
C0AF8

Manual Integrations
APPROVED

MMDadoda
6/8/2020 1:44:55 PM

Quant Time: Jun 06 00:16:45 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Jun 06 00:12:39 2020
Response via : Initial Calibration



TIC: VU038584.D

(13) Acetone (T)

2.774min (+0.084) 3.82ug/L m

206/11/2024

response 14102

Ion	Exp%	Act%
43.05	100	100
58.05	32.80	0.47
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060520\
 Data File : VU038584.D
 Acq On : 05 Jun 2020 19:35
 Operator : SY/MD
 Sample : L2906-03
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AF8

Manual Integrations
 APPROVED

MMDadoda
 6/8/2020 1:44:55 PM

Quant Time: Jun 06 02:19:52 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Jun 06 00:12:39 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	287059	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	279895	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.82	152	130402	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	58548	3.15	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	63.00%
7) Chloroethane-d5	1.92	69	55904	3.92	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	78.40%
11) 1,1-Dichloroethene-d2	2.58	63	98099	2.68	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	53.60%#
20) 2-Butanone-d5	4.75	46	291572	51.66	ug/L	0.06
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.32%
24) Chloroform-d	5.10	84	162078	4.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.80%
26) 1,2-Dichloroethane-d4	5.74	65	95734	4.83	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.60%
32) Benzene-d6	5.75	84	319218	4.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.40%
36) 1,2-Dichloropropane-d6	6.72	67	99577	4.63	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.60%
41) Toluene-d8	7.92	98	265426	4.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.60%
43) trans-1,3-Dichloropropene-	8.20	79	36926	4.00	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.00%
46) 2-Hexanone-d5	8.66	63	263397	57.72	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	115.44%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	94496	5.18	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.60%
64) 1,2-Dichlorobenzene-d4	12.20	152	111338	4.95	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.00%

Target Compounds

13) Acetone	2.77	43	14102m	3.818	ug/L	Ovalue
-------------	------	----	--------	-------	------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060520\
Data File : VU038584.D
Acq On : 05 Jun 2020 19:35
Operator : SY/MD
Sample : L2906-03
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AF8

Manual Integrations
APPROVED

MMDadoda
6/8/2020 1:44:55 PM

Quant Time: Jun 06 02:19:52 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Jun 06 00:12:39 2020
Response via : Initial Calibration

