

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060619\
 Data File : VU032477.D
 Acq On : 05 Jun 2019 21:38
 Operator : JC/SP
 Sample : K3213-15 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8K6

Quant Time: Jun 06 05:06:28 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 06 04:04:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	200445	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	183941	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	91432	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	48758	37.49	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	74.98%
7) Chloroethane-d5	1.68	69	44396	42.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.96%
11) 1,1-Dichloroethene-d2	2.27	63	77786	30.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	61.10%
21) 2-Butanone-d5	4.17	46	110664	101.68	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.68%
24) Chloroform-d	4.64	84	112848	46.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.06%
26) 1,2-Dichloroethane-d4	5.30	65	75830	49.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.26%
32) Benzene-d6	5.33	84	232126	48.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.22%
36) 1,2-Dichloropropane-d6	6.32	67	74913	50.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.06%
41) Toluene-d8	7.56	98	216593	47.84	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.68%
43) trans-1,3-Dichloropropene-	7.85	79	35964	50.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	100.38%
47) 2-Hexanone-d5	8.31	63	75867	104.46	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.46%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	111018	51.17	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.34%
64) 1,2-Dichlorobenzene-d4	11.85	152	90992	51.96	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.92%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060619\
Data File : VU032477.D
Acq On : 05 Jun 2019 21:38
Operator : JC/SP
Sample : K3213-15 50X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8K6

Quant Time: Jun 06 05:06:28 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 06 04:04:55 2019
Response via : Initial Calibration

