

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060619\
 Data File : VU032500.D
 Acq On : 06 Jun 2019 16:34
 Operator : JC/SP
 Sample : K3215-15
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8L2

Quant Time: Jun 07 05:58:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jun 07 05:48:54 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	220139	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	204304	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	104989	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	43956	30.78	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	61.56%
7) Chloroethane-d5	1.68	69	40779	35.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	71.06%
11) 1,1-Dichloroethene-d2	2.27	63	72608	25.96	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	51.92%#
21) 2-Butanone-d5	4.17	46	111410	93.21	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.21%
24) Chloroform-d	4.64	84	110134	41.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.70%
26) 1,2-Dichloroethane-d4	5.30	65	74887	44.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.26%
32) Benzene-d6	5.33	84	226819	42.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.52%
36) 1,2-Dichloropropane-d6	6.32	67	74564	44.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.66%
41) Toluene-d8	7.56	98	215098	42.77	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.54%
43) trans-1,3-Dichloropropene-	7.85	79	35293	44.34	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.68%
47) 2-Hexanone-d5	8.31	63	73185	90.72	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.72%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	110476	45.84	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.68%
64) 1,2-Dichlorobenzene-d4	11.85	152	95753	47.62	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.24%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060619\
Data File : VU032500.D
Acq On : 06 Jun 2019 16:34
Operator : JC/SP
Sample : K3215-15
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8L2

Quant Time: Jun 07 05:58:57 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jun 07 05:48:54 2019
Response via : Initial Calibration

