

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060619\
 Data File : VU032466.D
 Acq On : 05 Jun 2019 17:25
 Operator : JC/SP
 Sample : K3017-08ME
 Misc : 4.66µ/5mL/100µL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A51E1ME

Manual Integrations
 APPROVED

MMDadoda
 6/6/2019 9:03:49 AM

Quant Time: Jun 06 04:18:48 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 06 04:04:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	203216	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	196295	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	108625	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	56286	42.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.38%
7) Chloroethane-d5	1.64	69	26989m	25.47	ug/L	-0.04
Spiked Amount	50.000	Range	70 - 130	Recovery	=	50.94%#
11) 1,1-Dichloroethene-d2	2.23	63	88975	34.47	ug/L	-0.04
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.94%
21) 2-Butanone-d5	4.19	46	108217	98.08	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.08%
24) Chloroform-d	4.64	84	107559	43.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.48%
26) 1,2-Dichloroethane-d4	5.30	65	71862	46.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.78%
32) Benzene-d6	5.32	84	226850	44.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.04%
36) 1,2-Dichloropropane-d6	6.32	67	71456	44.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.44%
41) Toluene-d8	7.56	98	217206	44.95	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.90%
43) trans-1,3-Dichloropropene-	7.85	79	34982	45.75	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.50%
47) 2-Hexanone-d5	8.32	63	81435	105.07	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.07%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	112635	48.65	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.30%
64) 1,2-Dichlorobenzene-d4	11.86	152	98224	47.21	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.42%

Target Compounds					Ovalue
13) Acetone	2.34	43	5890	5.174 ug/L	95
15) Methyl Acetate	2.62	43	21987	13.527 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060619\
Data File : VU032466.D
Acq On : 05 Jun 2019 17:25
Operator : JC/SP
Sample : K3017-08ME
Misc : 4.66µ/5mL/100µL/5.0mL/MSVOA_U/MEOH
ALS Vial : 12 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
A51E1ME

Manual Integrations
APPROVED

MMDadoda
6/6/2019 9:03:49 AM

Quant Time: Jun 06 04:18:48 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 06 04:04:55 2019
Response via : Initial Calibration





#13

Acetone

Concen: 5.174 ug/L

RT: 2.34 min Scan# 389

Delta R.T. 0.03 min

Lab File: VU032466.D

Acq: 05 Jun 2019 17:25

Instrument :

MSVOA_U

ClientSampleId :

A51E1ME

Tot Ion: 43 Resp: 5890

Ion Ratio Lower Upper


43 100

58 29.0 0.0 64.0

Manual Integrations
APPROVED

MMDadoda

6/6/2019 9:03:49 AM



Abundance Ion 43.00 (42.70 to 43.70): VU032466.D (-389) (-)

Ion 58.00 (57.70 to 58.70): VU032466.D (-389) (-)

2.34

3000

2500

2000

1500



1000

500

0

Time-->

2.25 2.30 2.35 2.40 2.45



#15

Methyl Acetate

Concen: 13.527 ug/L

RT: 2.62 min Scan# 476

Delta R.T. 0.01 min

Lab File: VU032466.D


Acq: 05 Jun 2019 17:25

Tgt Ion: 43 Resp: 21987

Ion Ratio Lower Upper

43 100

74 23.6 18.0 27.0



Abundance Ion 43.00 (42.70 to 43.70): VU032466.D (-476) (-)

Ion 74.00 (73.70 to 74.70): VU032466.D (-476) (-)

2.62

12000

10000

8000

6000

4000

2000

0

Time-->

2.55 2.60 2.65 2.70

