

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060619\
 Data File : VU032470.D
 Acq On : 05 Jun 2019 18:57
 Operator : JC/SP
 Sample : K3213-08 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8J6

Quant Time: Jun 06 04:50:29 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 06 04:04:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	213310	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	200691	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	100718	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	50657	36.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	73.20%
7) Chloroethane-d5	1.68	69	45015	40.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	80.96%
11) 1,1-Dichloroethene-d2	2.26	63	83685	30.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	61.76%
21) 2-Butanone-d5	4.17	46	108948	94.07	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.07%
24) Chloroform-d	4.64	84	114169	44.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.46%
26) 1,2-Dichloroethane-d4	5.30	65	77754	47.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.64%
32) Benzene-d6	5.33	84	240580	46.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.36%
36) 1,2-Dichloropropane-d6	6.32	67	76172	46.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.26%
41) Toluene-d8	7.56	98	229439	46.44	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.88%
43) trans-1,3-Dichloropropene-	7.85	79	37009	47.34	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.68%
47) 2-Hexanone-d5	8.31	63	74492	94.00	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.00%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	111136	46.95	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.90%
64) 1,2-Dichlorobenzene-d4	11.86	152	96714	50.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.26%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060619\
Data File : VU032470.D
Acq On : 05 Jun 2019 18:57
Operator : JC/SP
Sample : K3213-08 50X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8J6

Quant Time: Jun 06 04:50:29 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 06 04:04:55 2019
Response via : Initial Calibration

