

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060619\
 Data File : VU032505.D
 Acq On : 06 Jun 2019 18:29
 Operator : JC/SP
 Sample : K3213-15
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8K6

Quant Time: Jun 07 06:28:38 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jun 07 05:48:54 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	217497	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	201503	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	102336	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	48721	34.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	69.06%
7) Chloroethane-d5	1.68	69	45069	39.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	79.48%
11) 1,1-Dichloroethene-d2	2.27	63	80420	29.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	58.22%#
21) 2-Butanone-d5	4.17	46	113844	96.41	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	96.41%
24) Chloroform-d	4.64	84	116544	44.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.56%
26) 1,2-Dichloroethane-d4	5.30	65	79276	47.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.64%
32) Benzene-d6	5.33	84	243854	46.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.24%
36) 1,2-Dichloropropane-d6	6.32	67	78396	47.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.58%
41) Toluene-d8	7.56	98	235142	47.41	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.82%
43) trans-1,3-Dichloropropene-	7.85	79	36642	46.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.36%
47) 2-Hexanone-d5	8.31	63	77510	97.42	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	97.42%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	116205	48.89	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.78%
64) 1,2-Dichlorobenzene-d4	11.85	152	100020	51.03	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.06%


Target Compounds					Ovalue
13) Acetone	2.32	43	1590	1.305 ug/L	84


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060619\
Data File : VU032505.D
Acq On : 06 Jun 2019 18:29
Operator : JC/SP
Sample : K3213-15
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8K6

Quant Time: Jun 07 06:28:38 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jun 07 05:48:54 2019
Response via : Initial Calibration





#13
Acetone
Concen: 1.305 ug/L
RT: 2.32 min Scan# 381
Delta R.T. -0.00 min
Lab File: VU032505.D
Acq: 06 Jun 2019 18:29

Instrument :
MSVOA_U
ClientSampleId :
DB8K6

Tot Ion: 43 Resp: 1590
Ion Ratio Lower Upper
43 100
58 23.3 0.0 64.0

