

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060619\
 Data File : VU032506.D
 Acq On : 06 Jun 2019 18:51
 Operator : JC/SP
 Sample : K3213-16
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8K7

Quant Time: Jun 07 06:30:53 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jun 07 05:48:54 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	211771	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	198689	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	101975	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	47330	34.45	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	68.90%
7) Chloroethane-d5	1.68	69	43866	39.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	79.46%
11) 1,1-Dichloroethene-d2	2.27	63	78461	29.17	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	58.34%#
21) 2-Butanone-d5	4.17	46	112435	97.79	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.79%
24) Chloroform-d	4.64	84	112820	44.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.06%
26) 1,2-Dichloroethane-d4	5.30	65	76641	47.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.96%
32) Benzene-d6	5.33	84	240596	46.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.28%
36) 1,2-Dichloropropane-d6	6.32	67	76055	47.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.04%
41) Toluene-d8	7.56	98	228833	46.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.58%
43) trans-1,3-Dichloropropene-	7.85	79	35035	45.26	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.52%
47) 2-Hexanone-d5	8.31	63	73503	93.69	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	93.69%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	114077	48.68	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.36%
64) 1,2-Dichlorobenzene-d4	11.85	152	96230	49.27	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.54%


Target Compounds					Ovalue
13) Acetone	2.32	43	1807	1.523 ug/L	84


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060619\
Data File : VU032506.D
Acq On : 06 Jun 2019 18:51
Operator : JC/SP
Sample : K3213-16
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8K7

Quant Time: Jun 07 06:30:53 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jun 07 05:48:54 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 1.523 ug/L
 RT: 2.32 min Scan# 383
 Delta R.T. 0.01 min
 Lab File: VU032506.D
 Acq: 06 Jun 2019 18:51

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8K7

Tot Ion: 43 Resp: 1807
 Ion Ratio Lower Upper
 43 100
 58 23.0 0.0 64.0

