

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060619\
 Data File : VU032512.D
 Acq On : 06 Jun 2019 21:09
 Operator : JC/SP
 Sample : K3215-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8K9

Quant Time: Jun 07 06:54:19 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jun 07 05:48:54 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	214346	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	200418	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	100582	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	47209	33.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	67.90%
7) Chloroethane-d5	1.68	69	43164	38.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	77.24%
11) 1,1-Dichloroethene-d2	2.27	63	77812	28.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	57.16%#
21) 2-Butanone-d5	4.17	46	112933	97.04	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.04%
24) Chloroform-d	4.64	84	113124	43.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.24%
26) 1,2-Dichloroethane-d4	5.30	65	77989	47.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.46%
32) Benzene-d6	5.33	84	238705	45.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.76%
36) 1,2-Dichloropropane-d6	6.32	67	75926	46.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.08%
41) Toluene-d8	7.56	98	227529	46.12	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.24%
43) trans-1,3-Dichloropropene-	7.85	79	33719	43.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.38%
47) 2-Hexanone-d5	8.31	63	76335	96.46	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.46%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	112643	47.65	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.30%
64) 1,2-Dichlorobenzene-d4	11.85	152	96362	50.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.04%


Target Compounds					Ovalue
13) Acetone	2.32	43	1382	1.151 ug/L	69


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060619\
Data File : VU032512.D
Acq On : 06 Jun 2019 21:09
Operator : JC/SP
Sample : K3215-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8K9

Quant Time: Jun 07 06:54:19 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jun 07 05:48:54 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.151 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.01 min

Lab File: VU032512.D

Acq: 06 Jun 2019 21:09

Instrument :
MSVOA_U
ClientSampleId :
DB8K9

Tot Ion: 43 Resp: 1382

Ion Ratio Lower Upper

43 100

58 15.0 0.0 64.0

